

## FORK SPRING APPLICATION LIST

MAKE	MODEL	YEAR	IKON Nr	SPACER /COMMENT
	<b>KAWASAKI</b>			
KAWASAKI	KX125	83-87		
KAWASAKI	KX125	90		
KAWASAKI	KX125	91-92	500-080	NONE
KAWASAKI	KDX200	83-85	500-197	250MM X 31
KAWASAKI	KDX200	86-92		
KAWASAKI	KDX200	93-94		
KAWASAKI	KDX200	95-97		
KAWASAKI	250 NINJA	86-87	500-091	14MM X 27
KAWASAKI	250 NINJA	88-04	500-008	Shorten original spacer
KAWASAKI	EL250	91on	500-180	
KAWASAKI	KLR250 / KLR250R	84-04	500-221	NONE
KAWASAKI	KLX250	79-80	500-221	250MM X 29
KAWASAKI	KLX250	94-96	500-204	
KAWASAKI	KX250	82-87		
KAWASAKI	KX250	90		
KAWASAKI	KX250	91-92	500-080	NONE
KAWASAKI	KLX300	97-04		
KAWASAKI	KLX400 R/SR	03		
KAWASAKI	ZXR400 (UPSD 41MM)	91on	500-088	
KAWASAKI	EX500	87-93	500-008	None
KAWASAKI	EX500	94-04	500-008	None with 008, may also use 500-040 for heavier duty purposes. A 20mm spacer is needed with 040 by shortening the OE one.
KAWASAKI	ER5	96-00	500-077	
KAWASAKI	KLE500	91on	500-116	
KAWASAKI	GPZ500S A1 - A6	87-93	500-008	
KAWASAKI	GPZ500S	94-96	500-015	
KAWASAKI	KX500	83-84		
KAWASAKI	KX500	85-88		
KAWASAKI	KX500	90		
KAWASAKI	KX500	91-92	500-080	NONE
KAWASAKI	550 ZEPHYR	90-91	500-196	USE STD
KAWASAKI	550 ZEPHYR	92on	500-014	
KAWASAKI	GPZ550	81-86	500-161	
KAWASAKI	GPZ550	81-86	500-161	
KAWASAKI	KZ550LTD/SPECTRE	80-83	500-083	250MM X 25
KAWASAKI	Z550F	83on	500-203	
KAWASAKI	KZ550A	80-83	500-083	250MM X 25
KAWASAKI	600 NINJA / GPZ600R	85on	500-097	NONE
KAWASAKI	600 NINJA / GPX600R	88on	500-097	DISC STD
KAWASAKI	KLR600/E	84on	500-148	
KAWASAKI	ZL600	85-87	500-127	DISC STD
KAWASAKI	ZX-6-D	90-93	500-003	NONE
KAWASAKI	ZX6R RACING	95-97	500-067	
KAWASAKI	ZX6R RACING (8.5 N/MM)	98-99	501-074	
KAWASAKI	ZX6R RACING (9 N/MM)	98-99	501-137	
KAWASAKI	ZX6R RACING (9.5 N/MM)	98-99	501-138	
KAWASAKI	ZX6R STRASSE - NINJA	98-99	500-139	

KAWASAKI	ZX6R	00-01	500-119	
KAWASAKI	ZZR600	90-92	500-019	
KAWASAKI	ZZR600	93on	500-018	
KAWASAKI	CSR650	82-83	500-083	250MM X 25
KAWASAKI	KLR650	87-94	500-148	Be careful about diameter. PS info does not line up with European data. Gosford dealer tells me that the fork tubes were 38mm up to 1992 and from 1995 became 41mm.
KAWASAKI	KLR650 TENGAI	87-94	500-148	
KAWASAKI	KLR650/TEN	95on	500-110	
KAWASAKI	KLX650C	92-96	500-150	
KAWASAKI	KLX650R	92-96	500-150	
KAWASAKI	KZ650	77-83	500-083	NONE
KAWASAKI	W650	99-01	500-066	NONE - remove OE 110mm spacer
KAWASAKI	Z650B	81	500-161	
KAWASAKI	KZ650SR	78-79	500-083	250MM X 25
KAWASAKI	750 NINJA / GPX750R	87on	500-196	USE STD
KAWASAKI	750 TURBO /GPZ750T	83on	500-185	17MM X 27
KAWASAKI	750 ZEPHYR	91on	500-003	USE STD
KAWASAKI	GPZ750		500-083	32.5MM X 25
KAWASAKI	GPZ750 / GPZ750ZX (UT)	83on	500-083	18MM X 25
KAWASAKI	GPZ750R	84-86	500-127	
KAWASAKI	KZ750 (TWO CYLINDER)		500-083	100MM X 25
KAWASAKI	Z750B (TWO CYLINDER)	83on	500-178	
KAWASAKI	KZ750E/H / Z750	80-83	500-083	100MM X 25
KAWASAKI	Z750	83on	500-083	
KAWASAKI	Z750LTD	80on	500-115	
KAWASAKI	VN750 VULCAN		500-008	Re-use original
KAWASAKI	VN750	91-92	500-008	USE STD
KAWASAKI	VN750	93-04	500-008	USE STD
KAWASAKI	ZX-7 NINJA / ZXR750	89-90	500-128	NONE
KAWASAKI	ZXR750 (UPSD 43MM)	91-92	500-017	
KAWASAKI	ZXR750 (UPSD 41MM)	93on	500-016	
KAWASAKI	ZXR750R (UPSD 41MM)	91-94	500-016	
KAWASAKI	ZX7R NINJA	96on	500-034	
KAWASAKI	ZX7RR NINJA	96on	500-017	
KAWASAKI	ZX7RR RACING	96on	501-210	
KAWASAKI	VN800 Vulcan Classic/Drifter	95-05	500-106	37 x 34mm
KAWASAKI	900 NINJA	84-86	500-185	100MM X 27
KAWASAKI	KZ900/LTD	74-75	500-061	NONE
KAWASAKI	ZL900 ELIMINATOR	85on	500-123	NONE
KAWASAKI	GPZ900RZ (D=38MM)	84-86	500-094	
KAWASAKI	GPZ900RZ (D=38MM)	87-89	500-094	
KAWASAKI	GPZ900R (D=41MM)	90on	500-011	
KAWASAKI	ZX9R NINJA	94-97	500-030	
KAWASAKI	ZX9R NINJA	98on	500-139	
KAWASAKI	Z1R	78-80	500-061	NONE
KAWASAKI	1000 NINJA	86-87	500-196	20MM X 30
KAWASAKI	KZ1000	77-82	500-061	NONE
KAWASAKI	1000 LTD	77-80	500-061	NONE
KAWASAKI	KZ1000 CSR/LTD	81-82	500-008	65MM X 28
KAWASAKI	KZ1000J/R	81-83	500-008	15MM X 28

KAWASAKI	KZ1000ST	79-81	500-015	200MM X 30
KAWASAKI	Z1000A1	78on	500-083	
KAWASAKI	Z1000A2	78on	500-061	
KAWASAKI	Z1000 MK2	79on	500-061	
KAWASAKI	ZG1000 CONCOURS			
KAWASAKI	ZG1000 CONCOURS			
KAWASAKI	ZL1000 ELIMINATOR	87	500-185	30MM X 27
KAWASAKI	ZX-10 NINJA	88-90	500-102	NONE
KAWASAKI	GTR1000	86on	500-101	
KAWASAKI	GPZ1000RX	86on	500-049	
KAWASAKI	GPZ1100	82	500-008	NONE
KAWASAKI	GPZ1100	83	500-200	100MM X 29
KAWASAKI	KZ1100 (SHAFT) / Z1100 SPECTRE	81-83	500-205 / 500-008	NONE, If using 500-008 a spacer will be required of up to 75mm.
KAWASAKI	GPZ1100	95on	500-039	
KAWASAKI	ZN1100 LTD	84-85	500-008	80MM X 28
KAWASAKI	ZR1100 / 1100 ZEPHYR	92-97	500-063	NONE
KAWASAKI	ZX-11-C / ZZR1100 (C1-3)	90-92	500-071	NONE
KAWASAKI	ZX-11-D / ZZR1100 (D1-9)	93on	500-020	USE STD, For an even more progressive option use 500-051
KAWASAKI	ZRX1100	97on	500-169	
KAWASAKI	ZG1200 VOYAGER	86		
KAWASAKI	ZG1200 VOYAGER	87-97		
KAWASAKI	ZRX1200	00 -	500-054	
KAWASAKI	ZX12R	00-	500-256	
KAWASAKI	KZ1300	79on	500-143	20MM X 30
KAWASAKI	1300 VOYAGER	83-87		
KAWASAKI	VN1500 VULCAN/SE/L	88on	500-003	USE STD
KAWASAKI	VN1500 VULCAN CLASSIC	96-04	500-003	27MM X 34
KAWASAKI	VN1500 VULCAN NOMAD	99-01	500-102	70MM X 34
KAWASAKI	VN1500 FI VULCAN NOMAD	00-04		
KAWASAKI	VN1500 Mean Streak	02-03	500-050 or 500-	Shorten original spacers by approx 25mm.
KAWASAKI	VN1500 VULCAN DRIFTER	99-04	500-147	SHORTEN ORIGINAL SPACER
KAWASAKI	VN1600 Mean Streak	04	500-050 or 500-	Shorten original spacers by approx 25mm.
KAWASAKI	VN1600 Vulcan Classic	03-04	500-051	Re-use original spacer - check spacer length.
	<b>KTM</b>			
KTM	WHITE POWER 4054	ALL		
KTM	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER