

FORK SPRING APPLICATION LIST				
MAKE	MODEL	YEAR	IKON Nr	SPACER /COMMENT
ATK	WHITE POWER 4054	ALL		
ATK	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
APRILIA	RS250 Single fork spring model	95-97	500-042	
APRILIA	RS250 LD A1	98on	500-135	
APRILIA	MOTO6.5	92-96	500-085	
APRILIA	PEGASO650(KAYABA)DIA.41 USD	96<	500-130	
APRILIA	PEGASO650(MARZOCI)40MM USD	96on	500-131	
APRILIA	ETV 1000 Caponord ZD4PS	02-	500-284	
APRILIA	RSV 1000 Mille ZD4	98 on	500-240	
APRILIA	SL1000 Falco	00 on	500-240	
BIMOTA	DB2 (PAIOLI)		500-022	
BIMOTA	KB2 Fi 40 Race		500-232	
BIMOTA	SB6 (PAIOLI + 20MM HULSE)	94on	500-139	
BIMOTA	YB4 (42M1R)		500-207	
BIMOTA	YB5		500-207	
BIMOTA	YB6/8 (42M1R)		500-207	
BIMOTA	YB8 DIECI (USD)	91on	500-018	
BIMOTA	YB9 SR (41MM PAIOLI RSU)	94on	500-022	
BIMOTA	YB9 SRI (43MM PAIOLI RSU)	94on	500-089	
BMW	R45	78-85	500-140	
BMW	R50/5	upto 87	500-084	
BMW	R60, R60/5	upto 87	500-084	
BMW	F650	94-00	500-141, 500-121, 500-013	250MM X 34,
BMW	F650GS	00 on	500-141	
BMW	F650GS Dakar	00 on	500-255, 500-086	150mm standard factory spacer. Reduce by 55mm when using 500-086.
BMW	F650CS	02 on	500-282	

BMW	F800S	06 on		
BMW	R65	78-84	500-140	NONE, Can also use 500-083 with 15mm spacer. 500-083 good for heavier duty use.
BMW	R65LS	78-85	500-140	
BMW	R65 (30MM OD SPRING)	85-87	500-066	NONE
BMW	R65G/S (26.5MM OD SPRING)	upto 87	500-084	
BMW	R65 Single sided arm	85on	500-097	
BMW	R65RT Single sided arm	85on	500-196	
BMW	K75/C/S/T/LR/RT	83-91	500-086	NONE
BMW	K75/A/S/RT	92-95	500-065	Can also use 500-101 + 20mm x 32mm spacer OR 500-025 with a 95mm spacer
BMW	R75/5/6/7	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
BMW	R80/7	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
BMW	R80GS	80-88	500-084	NONE
BMW	R80RT	85-87	500-066	NONE
BMW	R80RT Single sided arm	85on	500-196	NONE
BMW	R85GS (cartridge)	96on	500-114	
BMW	R80GS P.D. HART	88on	500-087	
BMW	R80GS PARALEVER/ST. TANK	88on	500-085	
BMW	R80R	92on	500-065	
BMW	R80ST	83on	500-140	
BMW	R90/6	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
BMW	K-1 CARTRIDGE(30.5MM OD SPR)	91on	500-143	
BMW	K-1 (34MM OD SPRING)		500-086	NONE
BMW	K-1	89-90	500-144	
BMW	R100/CS/RS/RT	upto 87	500-084	60mm X 26mm, Extra heavy duty use 500-161 with 90mm x 26mm spacer
BMW	R100GS	88-96	500-087	NONE
BMW	R100GS CARTRIDGE	96on	500-114	

BMW	R100GS P.D.HART	88-96	500-087	
BMW	R100GS PARALEVER/ST. TANK	88on	500-085	
BMW	R100R	91-96	500-065	
BMW	R100RS/RT	85-96	500-196	NONE
BMW	R100RT	94-95	500-196	NONE
BMW	K100/LT/RS/RT	83-99	500-003	NONE
BMW	K100RS 16V	90on	500-142	
BMW	K1100LT	92on	500-143	
BMW	K1100RS	92on	500-143	
BUELL	M2 CYCLONE	97-98	500-222	
CAGIVA	650 ALAZURA	83 on	500-083	
CAGIVA	650 RAPTOR	00 on	500-273	
CAGIVA	750 LUCKY	93on	500-117	
CAGIVA	750AC ELEFANT	94on	500-117	
CAGIVA	900 IE LUCKY (Single Spring)	90-91	500-124	
CAGIVA	900 LUCKY	93on	500-117	
CAGIVA	900 ELEFANT (USD)	93-95	500-072	
CAGIVA	900 ELEFANT AC (USD) SHOWA	95on	500-168	
CAGIVA	1000 RAPTOR	00 on	500-273	
CAN-AM	ALL MODELS W/40MM FORKS		500-085	270MM X 33
CAN-AM	ALL MODELS W/42MM FORKS		500-099	237MM X 35
DUCATI	400 SS SHOWA	91-94	500-088	
DUCATI	500/600 PANTHER - PANTAH	78-86	500-212	
DUCATI	Monster 600 (SHOWA/MARZ. UPSD)	94-99	500-021	
DUCATI	600SS (MARZ. UPSD)	94on	501-004	
DUCATI	650 PANTHER	78-86	500-212	
DUCATI	748/SP (SHOWA UPSD)	94on	500-009	
DUCATI	750	75-85	500-151	
DUCATI	750 FI/B	86-89	500-038	
DUCATI	750GT/S	72-77	500-015	100MM X 30

DUCATI	M750 (MARZ.UPSD)	97on	500-021	
DUCATI	M750 (SHOWA)	95-96	500-088	
DUCATI	750SS (SHOWA UPSD)	91-94	500-088	
DUCATI	750SS (MARZ.UPSD)	95on	500-064	May need 50 to 10mm spacer. Reduce original.
DUCATI	851 STRADA (MARZ.M1R)	88-89	500-149	
DUCATI	851 STRADA (Showa)	91 on	500-005	
DUCATI	860GT	75-77	500-015	100MM X 30
DUCATI	888 STRADA / SP5 (Showa)	93 on	500-005	
DUCATI	900 all models	75-85	500-151	
DUCATI	900SS/GTS	77-79	500-015	100MM X 30
DUCATI	M900 (SHOWA UPSD)	93on	500-088	
DUCATI	M900 (MARZ.UPSD)	97on	500-108	
DUCATI	900SS (MARZ)	89-90	500-082	
DUCATI	900SS (SHOWA UPSD)	91-95	500-005	
DUCATI	900SS	96on	500-088	
DUCATI	900 Monster (Showa forks)		500-047	Re-use original spacer.
DUCATI	916 STRADA/BIPO (SHOWAUPSD)	94on	500-009	
DUCATI	1000	75-85	500-151	
EGLI	35MM		500-008	
EGLI	38MM		500-149	
FORCELLA	38MM		500-195	
FORCELLA	40MM		500-082	
FORCELLA	42MM		500-186	
GILERA	NORDWEST 600	91on	500-132	
GILERA	RC600	89-90	500-087	
GILERA	SATURNO - EUROPE	89 on	500-232	
HARLEY	FL-FLH	49-77	500-931	127mm x 32mm
HARLEY	FL-FLH (4 Speed)	78-86	500-931	127mm x 32mm
HARLEY	FLH/FLHT (5 Speed)	80-01	500-931	127mm x 32mm
HARLEY	FLH/FLHT (5 Speed)	02-07	500-931	127mm x 32mm

HARLEY	FLHR Road King 41mm forks	02-07	500-931	127mm x 32mm
HARLEY	FLHRS Road King Custom	04		
HARLEY	FXCW Rocker, FXCWC Rocker C	08-09	500-932	
HARLEY	FXWG 41mm forks	80-86	500-931	Re-use original spacer
HARLEY	FXLR	87-94	500-066	20MM X 30, 500-142 is an extra heavy duty option
HARLEY	FXR-SP/Conv 39mm forks	87-94	500-066	100MM X 30
HARLEY	FXR/FXRS 35mm forks	82-87	500-096	
HARLEY	FXR/FXRS 39mm forks	88-94	500-066	20MM X 30, 500-142 is an extra heavy duty option
HARLEY	FXRT 35mm forks		500-096	
HARLEY	FXRT 39mm forks		500-066	100MM X 30
HARLEY	FXRT 35mm forks		500-096	
HARLEY	FXD/B/C	91-92	500-066	20MM X 30, 500-142 is an extra heavy duty option
HARLEY	FXD/C 39mm forks	95-05	500-066	No additional spacer required
HARLEY	FXDI, CI, WG and 35 49mm forks, 5wt oil	06-09	500-932	120mm x 43mm spacer
HARLEY	FXDBI and FXDLI 49mm forks, 5wt oil	06-09	500-932	120mm x 43mm spacer
HARLEY	FXDF 49mm forks	08-09	500-932	
HARLEY	FXDL 39mm forks	93-05	500-066	
HARLEY	FXDS-CONV 39mm forks		500-066	20MM X 30, 500-142 is an extra heavy duty option
HARLEY	FXDWG 41mm forks	93-05	500-931	127mm x 32mm
HARLEY	FXDX 39mm forks	99	500-066	20MM X 30, 500-142 is an extra heavy duty option
HARLEY	FXDX/T 39mm forks	00-05	500-077	32MM X 30
HARLEY	ALL SPORTSTERS (XL ETC) 35mm forks	53-87	500-096	
HARLEY	XR1000 35mm forks	83-84	500-096	
HARLEY	883/1200 SPORTSTER 39mm forks	88on	500-066	None
HARLEY	883/1200 SPORTSTER STD, DLX 39mm forks	96-03	500-066	None
HARLEY	883 HUGGER 39mm forks	88-91	500-066	None
HARLEY	883 HUGGER/1200C 39mm forks	92-00	500-066	None
HARLEY	883/1200 SPORTSTER STD, DLX 39mm forks	94-95	500-066	None
HARLEY	XL 883 R /1200 R SPORTSTER 39mm forks	04-09	500-066	25MM x 30MM
HARLEY	XL 883C/1200 C SPORTSTER 39mm forks	04-09	500-066	25MM x 30MM

HARLEY	XL883L	05-09	500-066	
HARLEY	XL1200N NIGHTSTER	08-09	500-066	
HARLEY	FXST/FLST Softail 41mm forks	84-09	500-931	127mm x 32mm, cut to 107mm for most models
HARLEY	FLSTSB	09		
HARLEY	FXSTSSE	09		
HARLEY	V-Rod VRSA, VRSAW, VRSB, VRSC, VRSD, VRSX 49mm forks, 5wt oil	02-08	500-932	120mm x 43mm spacer
HARLEY	V-Rod Night Rod Special VRSCDX	08-09	500-932	120mm x 43mm spacer
HONDA	CR125R	84-89		
HONDA	CR125R	90		
HONDA	CR125	91		
HONDA	NX125	88-90	500-084	25MM X 27
HONDA	TLR200 REFLEX	86-87	500-181	
HONDA	XR200R	82-83		
HONDA	XR200R	84-02	500-221	
HONDA	CB250RS	80-84		
HONDA	CBF250	05 on	500-015	
HONDA	CBR250RR (MC17)		500-196	Shorten original spacer to 15mm. OEM spring 250mm x 30mm with 250mm spacer.
HONDA	250 Rebel	1987	500-105	25mm x 24.7mm spacer.
HONDA	CR250	73		
HONDA	CR250	91		
HONDA	CR250R	83-88		
HONDA	CR250R	89-90		
HONDA	NX250	88-90	500-197	200MM X 31
HONDA	RS250RF	93	500-184	
HONDA	250 Spada		500-066	Original 200mm spacer can be shortened or deleted.
HONDA	VTR250	88-90	500-161	USE STD
HONDA	XL250	84-87	500-084	100MM X 27
HONDA	XR250L	91-97	500-099	50MM X 35

HONDA	XR250R	84-85	500-197	
HONDA	XR250R	86-89	500-099	NONE
HONDA	XR250R	90-95		
HONDA	XL350R	84-85		
HONDA	XL350R	85on	500-198	
HONDA	XR350R	83-85	500-099	NONE
HONDA	CB-1 400	89on	500-012	NONE
HONDA	CB400N	78on	500-181	
HONDA	CBR400RR	89-91	500-031	
HONDA	CBR400RR	92on	500-201	
HONDA	NS400R	85on	500-066	
HONDA	VF400FD	83on	500-212	
HONDA	VFR400R	91on	500-021	Original spacer 150mm
HONDA	XR400R		500-204	
HONDA	XR400R		500-204	
HONDA	CB450N/S	85on	500-172	
HONDA	CR480		500-043	
HONDA	500 INTERSEPTOR		500-066	
HONDA	CB500	93-95	500-066	
HONDA	CB500	96on	500-066	
HONDA	CB500F	75on	500-056	
HONDA	CX500	78-82		
HONDA	CX500	81-82	500-095	
HONDA	CX500 Shadow, some models may have earlier forks so need this spring. Check original springs before ordering.	82	500-096	Original spring may be 535mm long, if so a 25 x 21mm spacer is required
HONDA	CX500B	79-80	500-096	
HONDA	CX500 CUSTOM/CX500C	80on	500-069	NONE
HONDA	CX500E	83on	500-192	
HONDA	CX500 CUSTOM		500-061	NONE
HONDA	CX500 TURBO		500-182	NONE

HONDA	CX500 TURBO	83on	500-200	
HONDA	FT500		500-007	USE STD
HONDA	GB500	89on	500-199, 500-212	For 500-199 re-use original spacer, for 500-212 shorten original spacer.
HONDA	GL500	81on	500-083	75MM X 25
HONDA	V30 MAGNA/VF500 F/F2	84on	500-173	USE STD
HONDA	VT500C/E	83on	500-200	USE STD
HONDA	XBR500	85on	500-008	
HONDA	XL500/S	79on	500-220	NONE
HONDA	XR500		500-220	NONE
HONDA	XR500R			
HONDA	XR500R			
HONDA	CR500R			
HONDA	CB550F/K	76-78	500-083	NONE
HONDA	550 NIGHTHAWK/CBX550	82on	500-157	USE STD
HONDA	CB600 HORNET	98on	500-055	
HONDA	CBR600 HURRICANE/CBR600F	87-90	500-173	USE STD
HONDA	CBR600F	91-92	500-010	USE STD
HONDA	CBR600F	93-98	500-202, 500-060	NONE
HONDA	VT600C	88-04	500-173	Shorten original to 30mm
HONDA	XL600R	83-84	501-166	
HONDA	XL600LM/RM	85on	500-160	
HONDA	XL600 TRANSALP	87on	500-124	
HONDA	XR600R	85-90	500-165	NONE
HONDA	XR600R	91on	500-158	NONE
HONDA	CB650		500-061	NONE
HONDA	CB650C		500-061	USE STD
HONDA	CB650B	81on	500-061	
HONDA	650 NIGHTHAWK / CB650SC	81on	500-008	30MM X 27
HONDA	650 NIGHTHAWK / CBX650E	83on	500-035	USE STD

HONDA	CX650C	83on	500-123 500-094	500-094 requires a 24mm x 29mm spacer
HONDA	CX650 TURBO and EURO		500-182	No spacer for Turbo, 20mm spacer for Euro.
HONDA	CX650 TURBO	83on	500-200	
HONDA	GL650		500-182	NONE
HONDA	GL650	82	500-083	
HONDA	GL650 (DU=38MM)	83	500-097	
HONDA	HAWKGT650 / NT650HAWK/BROS	88on	500-011	USE STD
HONDA	NTV650/REVERE	88on	500-012	
HONDA	NX650 / NX650 DOMINATOR	88on	500-103	NONE
HONDA	SLR650	96on	500-090	
HONDA	XL650V Transalp		500-160	
HONDA	XR650L	93-04	500-120	10mm spacer required
HONDA	XR650R	00-04		
HONDA	XRV650 AFRICA TWIN	88-92	500-076	
HONDA	VF700F	83	500-035	
HONDA	VT700C	85<	500-006	
HONDA	VT700C (US)	86on	500-035	
HONDA	700 INTERCEPTOR		500-143	USE STD
HONDA	700 NIGHTHAWK		500-015	122.5MM X 30
HONDA	700 SHADOW		500-035	USE STD
HONDA	VF700C MAGNA		500-008	USE STD
HONDA	VF700C MAGNA		500-035	USE STD
HONDA	VF700C MAGNA		500-196	USE STD
HONDA	VF700S SABRE		500-008	USE STD
HONDA	VFR700 INTERCEPTOR		500-196	USE STD
HONDA	750 INTERCEPTOR		500-143	USE STD
HONDA	750 SHADOW		500-035	USE STD
HONDA	750 SHADOW ACE	98-06	500-011	Shorten original to 30mm
HONDA	750 SHADOW SPIRIT	01-06	500-011	Shorten original spacer to suit

HONDA	CB750 NIGHTHAWK		500-084	USE STD
HONDA	CB750 NIGHTHAWK/CB SEVEN FI	92-03	500-028	No spacer needed or shorten OE
HONDA	CB750A/C	76-82	500-083	USE STD
HONDA	CB750F	75-80	500-083	32.5MM X 25
HONDA	CB750F (25MM OD SPRING)	81on	500-161	
HONDA	CB750F (28MM OD SPRING)		500-008	USE STD
HONDA	CB750K	69-82	500-083	32.5MM X 25
HONDA	CBX750F	84on	500-159	
HONDA	V45 MAGNA/SABRE (750)	82-83	500-172	USE STD
HONDA	VF750C MAGNA		500-196	USE STD
HONDA	VF750C MAGNA DELUXE/VF750C	93-03	500-121	USE STD
HONDA	VFR750 INTERCEPTOR	86-87	500-098	USE STD
HONDA	VFR750 F	88-89	500-013	
HONDA	VFR750 F	90-91	500-027	
HONDA	VFR750 F	92-93	500-026	
HONDA	VFR750 F	94-97	500-026	
HONDA	VFR750R	88-89	500-175	
HONDA	VT750C and Black Widow	97-06	500-170 500-086 500-106	50mm x 34mm spacers with 500-086, 500-106 is for extra heavy duty use and needs a 65mm spacer
HONDA	VT750 ACE with 32mm OD fork springs	03	500-035 500-065	
HONDA	XLV750R (+30MM HULSE)	83-85	500-076	
HONDA	XRV750 AFRICAN TWIN	88-92	500-076	
HONDA	XRV750 AFRICAN TWIN	93-01	500-076	
HONDA	800 SHADOW		500-035	USE STD
HONDA	VFR800F 1 RC46	98-01	500-133	
HONDA	VFR800F RC46	02 on	500-222	
HONDA	PC800 PACIFIC COAST	89-98	500-027	NONE
HONDA	CB900C	80-82	500-182	50MM X 28
HONDA	CB900F Bol d'Or, 39mm forks	80-82	500-143	NONE - Check spring diameter.

HONDA	CB900FA (DU=35MM) Bol d'Or	80	500-176, or 500-	With 500-061 use 35mm spacer.
HONDA	CB900FB (DU=37MM) Bol d'Or	81	500-145	
HONDA	CB900FC (DU=39MM) Bol d'Or	82	500-104	
HONDA	CB900F 919cc engine	02-04	500-051	Shorten OE to 45mm
HONDA	CB900 Hornet	02 on		
HONDA	CBR900RR SC28	92-93		
HONDA	CBR900RR SC28/SC33	94-99	500-057	USE STD, may also use 500-119 and shorten spacer
HONDA	CBR900RR SC44 upside down forks	00-01		
HONDA	CBR900RR SC50 upside down forks	02 on		
HONDA	CB1000/S/F	92on	500-051	USE STD
HONDA	CB1000C		500-143	USE STD
HONDA	CBR1000 HURRICANE/CBR1000F	87-88	500-121	NONE
HONDA	CBR1000F	89on	500-113	USE STD
HONDA	CBX1000	79on	500-162	12.5MM X 25
HONDA	CBX1000	81on	500-163	NONE
HONDA	GL1000	75-76	500-182	DISC STD
HONDA	VF1000/R / VF1000F/R/FII SC15, SC16	84on	500-170, 500-106	NO Spacer required with 500-170, shorten original spacer when using 500-106. 500-106 is a heavier duty option.
HONDA	VTR 1000F FIRESTORM SC36	97on	500-055	
HONDA	1100 SHADOW	85-86	500-011	Shorten OE spacer if required
HONDA	1100 SHADOW/ACE/SPIRIT, C2 SC18, SC23, SC24	87-06	500-011	Shorten OE spacer if required
HONDA	CB1100F	83on	500-143	NONE
HONDA	CB1100R (HALBVERKL)	82	500-008	
HONDA	CB1100RC	80	500-207	
HONDA	CB1100RD (METALLIC)	83	500-065	
HONDA	CBR1100XX BLACKBIRD	97on	500-045	
HONDA	GL1100 GOLDWING	81on	500-143	

HONDA	ST1100 (not ABS models)	90-02	500-147	This particular bike has two different fork legs. The left fork leg requires the stock fork spacer to be shortened to approx 83mm. The right fork leg requires the stock spacer to be removed and discarded. No spacer is needed in the right fork leg.
HONDA	ST1100 ABS	92-95	500-147	Spacer length must be calculated according to the instructions included with the fork springs.
HONDA	ST1100 PAN EURO (O.ABS)	91on	500-146	
HONDA	ST1100 PAN EURO (M ABS/TCS)	91on	500-147	
HONDA	V65 MAGNA / VF1100C	83on	500-093	USE STD
HONDA	V65 MAGNA		500-003	140MM X 34
HONDA	VT1100C (US)	87on	500-085	
HONDA	VT1100C2	93on	500-206	
HONDA	VT1100 AERO, ACE, SABRE, SHADOW, SPIRIT	98-06	500-003	Shorten OE spacer to 75mm
HONDA	GL1200 GOLDWING	84-87	500-106	USE STD
HONDA	CB1300 SC40	98-03		
HONDA	VTX1300S	03-08	500-027	Shorten original spacer
HONDA	GL1500 GOLDWING	88-00	500-106	
HONDA	GL1500C/D/T VALKYRIE / TOUR	97-03		
HONDA	GL1500 VALKYRIE Interstate	99-01		
HONDA	GL1800 Goldwing	01-08	500-051	Shorten original spacer by 45mm
HONDA	VTX1800, C,F,N,R,S,T	02-08	500-001	
HUSQVARNA	CONVENTIONAL 40MM FORKS	ALL	500-195	67MM X 32
HUSQVARNA	WHITE POWER 4054	ALL		
HUSQVARNA	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
KAWASAKI	KX125	83-87		
KAWASAKI	KX125	90		
KAWASAKI	KX125	91-92	500-080	NONE
KAWASAKI	KDX200	83-85	500-197	250MM X 31
KAWASAKI	KDX200	86-92		
KAWASAKI	KDX200	93-94		

KAWASAKI	KDX200	95-97		
KAWASAKI	250 NINJA	86-87	500-091	14MM X 27
KAWASAKI	250 NINJA	88-04	500-008	Shorten original spacer
KAWASAKI	EL250	91on	500-180	
KAWASAKI	GPX250	96-98	500-015	requires a 75mm x 30mm spacer not supplied with the springs
KAWASAKI	KLR250 / KLR250R	84-04	500-221	NONE
KAWASAKI	KLX250	79-80	500-221	250MM X 29
KAWASAKI	KLX250	94-96	500-204	
KAWASAKI	KLX250	99-07		
KAWASAKI	KX250	82-87		
KAWASAKI	KX250	90		
KAWASAKI	KX250	91-92	500-080	NONE
KAWASAKI	KLX300	97-04		
KAWASAKI	KLX400 R/SR	03		
KAWASAKI	ZXR400 (UPSD 41MM)	91on	500-088	
KAWASAKI	EX500	87-93	500-008	None
KAWASAKI	EX500	94-04	500-008	None with 008, may also use 500-040 for heavier duty purposes. A 20mm spacer is needed with 040 by shortening the OE one.
KAWASAKI	ER5	96-00	500-077	
KAWASAKI	ER5	01-05	500-196	Shorten original spacer by approx 40mm
KAWASAKI	KLE500	91on	500-116	
KAWASAKI	GPZ500S A1 - A6	87-93	500-008	
KAWASAKI	GPZ500S	94-96	500-015	
KAWASAKI	KX500	83-84		
KAWASAKI	KX500	85-88		
KAWASAKI	KX500	90		
KAWASAKI	KX500	91-92	500-080	NONE
KAWASAKI	550 ZEPHYR	90-91	500-196	USE STD
KAWASAKI	550 ZEPHYR	92on	500-014	

KAWASAKI	GPZ550	81-86	500-161	Some models require no spacer, others 45mm and some others 75mm.
KAWASAKI	GPZ550	81-86	500-161	Some models require no spacer, others 45mm and some others 75mm.
KAWASAKI	KZ550LTD/SPECTRE	80-83	500-083	250MM X 25
KAWASAKI	Z550F	83on	500-203	
KAWASAKI	KZ550A	80-83	500-083	250MM X 25
KAWASAKI	600 NINJA / GPZ600R	85on	500-097	NONE
KAWASAKI	600 NINJA / GPX600R	88on	500-097	DISC STD
KAWASAKI	KLR600/E	84on	500-148	
KAWASAKI	ZL600	85-87	500-127	DISC STD
KAWASAKI	ZX-6-D	90-93	500-003	NONE
KAWASAKI	ZX6R RACING	95-97	500-067	
KAWASAKI	ZX6R RACING (8.5 N/MM)	98-99	501-074	
KAWASAKI	ZX6R RACING (9 N/MM)	98-99	501-137	
KAWASAKI	ZX6R RACING (9.5 N/MM)	98-99	501-138	
KAWASAKI	ZX6R STRASSE - NINJA	98-99	500-139	
KAWASAKI	ZX6R	00-01	500-119	
KAWASAKI	ZZR600	90-92	500-019	
KAWASAKI	ZZR600	93on	500-018	
KAWASAKI	CSR650	82-83	500-083	250MM X 25
KAWASAKI	KLR650	87-07	500-148 500-110	Models with 38mm forks require 500-148, models with 41mm forks require 500-110
KAWASAKI	KLR650	08	500-110	
KAWASAKI	KLR650 TENGAI	87-94	500-148	
KAWASAKI	KLR650/TEN	95on	500-110	
KAWASAKI	KLR650E	09	500-110	
KAWASAKI	KLX650C	92-96	500-150	
KAWASAKI	KLX650R	92-96	500-150	
KAWASAKI	KZ650	77-83	500-083	NONE
KAWASAKI	W650	99-01	500-066	NONE - remove OE 110mm spacer

KAWASAKI	Z650B	81	500-161	
KAWASAKI	KZ650SR	78-79	500-083	250MM X 25
KAWASAKI	750 NINJA / GPX750R (F1-F3)	87-91	500-196	USE STD
KAWASAKI	750 TURBO /GPZ750T	83on	500-185	17MM X 27
KAWASAKI	750 ZEPHYR	91on	500-003	USE STD - Delete std
KAWASAKI	GPZ750		500-083	32.5MM X 25
KAWASAKI	GPZ750 / GPZ750ZX (UT)	83on	500-083	18MM X 25
KAWASAKI	GPZ750R	84-86	500-127	
KAWASAKI	KZ750 (TWO CYLINDER)	76-80	500-083	100MM X 25
KAWASAKI	Z750B (TWO CYLINDER)	83on	500-178	
KAWASAKI	KZ750E/H / Z750	80-83	500-083	100MM X 25
KAWASAKI	Z750	83on	500-083	
KAWASAKI	Z750LTD	80on	500-115	
KAWASAKI	Z750 (ZR750J)	04 on	500-258	
KAWASAKI	VN750 VULCAN		500-008	Re-use original
KAWASAKI	VN750	91-92	500-008	USE STD
KAWASAKI	VN750	93-04	500-008	USE STD
KAWASAKI	ZR7 (ZR750F)	99-03	500-028	
KAWASAKI	ZX-7 NINJA / ZXR750	89-90	500-128	NONE
KAWASAKI	ZXR750 (UPSD 43MM)	91-92	500-017	
KAWASAKI	ZXR750 (UPSD 41MM)	93on	500-016	
KAWASAKI	ZXR750R (UPSD 41MM)	91-94	500-016	
KAWASAKI	ZX7R NINJA	96on	500-034	
KAWASAKI	ZX7RR NINJA	96on	500-017	
KAWASAKI	ZX7RR RACING	96on	501-210	
KAWASAKI	VN800 Vulcan Classic/Drifter	95-05	500-106	37 x 34mm
KAWASAKI	900 NINJA, ZX900A, GPZ900R	84-86	500-185	100MM X 27
KAWASAKI	KZ900/LTD	74-75	500-061	NONE
KAWASAKI	Z900	73-80	500-061	NONE
KAWASAKI	ZL900 ELIMINATOR	85on	500-123	NONE

KAWASAKI	GPZ900RZ (D=38MM)	84-86	500-094	
KAWASAKI	GPZ900RZ (D=38MM)	87-89	500-094	
KAWASAKI	GPZ900R (D=41MM)	90on	500-011	
KAWASAKI	ZX9R NINJA	94-97	500-030	
KAWASAKI	ZX9R NINJA	98on	500-139	
KAWASAKI	Z1R	76-80	500-061	NONE
KAWASAKI	1000 NINJA	86-87	500-196	20MM X 30
KAWASAKI	KZ1000	77-82	500-061	NONE
KAWASAKI	1000 LTD	77-80	500-061	NONE
KAWASAKI	KZ1000 CSR/LTD	81-82	500-008	65MM X 28
KAWASAKI	KZ1000J/R	81-83	500-008	15MM X 28
KAWASAKI	KZ1000ST	79-81	500-015	200MM X 30
KAWASAKI	Z1000A1	78on	500-083	
KAWASAKI	Z1000A2	78on	500-061	
KAWASAKI	Z1000 MK2	79on	500-061	
KAWASAKI	ZG1000 CONCOURS			
KAWASAKI	ZG1000 CONCOURS			
KAWASAKI	ZL1000 ELIMINATOR	87	500-185	30MM X 27
KAWASAKI	ZX-10 NINJA	88-90	500-102	NONE
KAWASAKI	GTR1000	86on	500-101 500-143	500-143 is considered to be an even heavier duty optic
KAWASAKI	GPZ1000RX	86-89	500-049	
KAWASAKI	GPZ1100	82	500-008	NONE
KAWASAKI	GPZ1100	83	500-200	100MM X 29
KAWASAKI	KZ1100 (SHAFT) / Z1100 SPECTRE	81-83	500-205 / 500-008	NONE, If using 500-008 a spacer will be required of up to 75mm.
KAWASAKI	GPZ1100	95on	500-039	
KAWASAKI	ZN1100 LTD	84-85	500-008	80MM X 28
KAWASAKI	ZR1100 / 1100 ZEPHYR	92-97	500-063	NONE
KAWASAKI	ZX-11-C / ZZR1100 (C1-3)	90-92	500-071	NONE
KAWASAKI	ZX-11-D / ZZR1100 (D1-9)	93-01	500-020	USE STD, For an even more progressive option use 50

KAWASAKI	ZRX1100	97- 00	500-169	
KAWASAKI	ZG1200 VOYAGER	86		
KAWASAKI	ZG1200 VOYAGER	87-97		
KAWASAKI	ZRX1200	00 -	500-054	
KAWASAKI	ZX12R	00-	500-256	
KAWASAKI	KZ1300, Z1300	79 - 90	500-143	20MM X 30
KAWASAKI	1300 VOYAGER	83-87		
KAWASAKI	VN1500 VULCAN/SE/L	88on	500-003	USE STD
KAWASAKI	VN1500 VULCAN CLASSIC	96-04	500-003	27MM X 34
KAWASAKI	VN1500 VULCAN NOMAD	98-01	500-102 500-027	70MM X 34 when using 500-102, 85MM x 34 when using 500-027
KAWASAKI	VN1500 FI VULCAN NOMAD	00-04		
KAWASAKI	VN1500 Mean Streak	02-03	500-050 or 500-	Shorten original spacers by approx 25mm.
KAWASAKI	VN1500 VULCAN DRIFTER	99-04	500-147	SHORTEN ORIGINAL SPACER
KAWASAKI	VN1600 Mean Streak	04	500-050 or 500-	Shorten original spacers by approx 25mm.
KAWASAKI	VN1600 Vulcan Classic	03-07	500-051	Re-use original spacer - check spacer length.
KAWASAKI	VN2000	04 -	500-240	
KTM	WHITE POWER 4054	ALL		
KTM	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
LAVERDA	750S	99 on	500-088	
MAICO	WHITE POWER 4054	ALL		
MAICO	WHITE POWER SUPER ADJUST	ALL	500-078	25% HEAVIER
MAICO	250 / 400 / 490	81-83	500-013	250MM X 35
MARZOCCHI	38MM M1R		500-127	
MARZOCCHI	38MM (L.GABEL = 775MM		500-151	
MARZOCCHI	40MM M1R		500-207	
MARZOCCHI	40MM (L.GABEL = 775MM		500-058	
MARZOCCHI	42MM (D = 41.7MM)		500-207	
MOTO GUZZI	V65 LARIO TT	85	500-094	

MOTO GUZZI	QUOTA MARZOCCHI	91on	500-121	
MOTO GUZZI	Breva 750 ie	03 on	500-025	
MOTO GUZZI	California EV Touring	03 on		
MOTO GUZZI	California 850 GT V7	70 on		
MOTO GUZZI	V7 Classic	08-		
MOTO GUZZI	V11 Sport - 40mm Marzocchi forks	98-01	500-062	
MOTO GUZZI	V65 Lario TT	85	500-094	
MOTO GUZZI	Quota 1000	92-97		
MOTO GUZZI	Quota 1100 ES	98 on		
MOTO GUZZI	Jackal	01 on	500-009	
MOTO GUZZI	1000S, Mille GT, SP3, 850T5, California 3, Le Mans 1000 with 40mm Forks only		500-933	
MOTO MORINI	Camel 500		500-198	
MUZ	SCORPION SPORT (CUP 97)		500-002	
MUZ	SCORPION SPORT	93on	500-012	
MV AUGUSTA	America 750S	78	500-097 500-196	500-196 is an even heavier duty option
NORTON	750 / 850 Commando	72-75	500-181	NONE
SACHS	Mad ASS 50	04 on	500-006	
SACHS	Roadster 800	00 on	500-025	
SUZUKI	RG125	93on	500-073	
SUZUKI	RM125	82-83	500-197	250MM X 31
SUZUKI	RM125	84-88		
SUZUKI	RM125	90		
SUZUKI	RM125	91		
SUZUKI	PE175	78-79		
SUZUKI	PE175	82-84	500-197	250MM X 31
SUZUKI	DR250	90-93		
SUZUKI	DR250S	90-95		
SUZUKI	PE250	77-79		
SUZUKI	RM250	83-87		

SUZUKI	RM250	89-90		
SUZUKI	RM250	91		
SUZUKI	RMX250	89-90		
SUZUKI	RMX250	91		
SUZUKI	RG250W	87on	500-127	
SUZUKI	RGV250	89-90	500-010	
SUZUKI	RGV250	91	500-088	
SUZUKI	RGV250 VJ 22 B	92on	500-201	
SUZUKI	Volty 250		500-094	10MM x 29mm
SUZUKI	DR350	90-93	500-043	48.25MM X 36
SUZUKI	DR350	94-99		
SUZUKI	DR350S	89on	500-043	48.25MM X 36
SUZUKI	DR350S/SE	92-97	500-043	48.25MM X 36
SUZUKI	DR350SE	98-99	500-204	25 x 37mm
SUZUKI	RM370	77		OE spring 430mm free, 27.0 OD. Desired rate approx 1
SUZUKI	DR-Z400 / E	00-04	500-244	
SUZUKI	DR-Z400 S	00-01	500-244	
SUZUKI	DR-Z400 S	02-04	500-244	
SUZUKI	GS400	77-78	500-096	NONE
SUZUKI	GSF400 BANDIT	89on	500-021	
SUZUKI	GSX400E (TWIN)	80on	500-183	
SUZUKI	GSX400F (FOUR)	81on	500-183	
SUZUKI	GSXR400	91on	500-031	
SUZUKI	GSX400X/IMPULSE	86-88	500-094	
SUZUKI	GS425	79	500-096	NONE
SUZUKI	GS450	80-83	500-096	NONE
SUZUKI	DR500S	83on	500-007	
SUZUKI	GS500E, GM51 B/A frames	89-02	500-066	DISC STD
SUZUKI	RG500 GAMMA	85on	500-195	DISC STD
SUZUKI	RM500	83-84	500-043	250MM X 36

SUZUKI	GS550	77-80	500-083	NONE
SUZUKI	GS550E/ES	83-86	500-008	NONE
SUZUKI	GSX550 ES/EF	83on	500-040	
SUZUKI	600 KATANA	88-98	500-003	USE STD
SUZUKI	600 KATANA	98-04	500-102	Shorten original to suit
SUZUKI	DR600/S	85on	500-194	
SUZUKI	GSF600 BANDIT	95on	500-003	USE STD
SUZUKI	GSX600F	88-90	500-214	500-012 +25MM spacer is a good alternative
SUZUKI	GSX600F	91-97	500-088	
SUZUKI	GSX600F	98on	500-134	
SUZUKI	GSXR600	97on	500-119	
SUZUKI	GSXR600 RACE (8 N/MM)	97on	501-075	
SUZUKI	GSXR600 RACE (8.5 N/MM)	97on	501-074	
SUZUKI	GSXR600 RACE (9 N/MM)	97on	501-137	
SUZUKI	GSXR600 RACE (9.5 N/MM)	97on	501-138	
SUZUKI	RF600R	93on	500-022	
SUZUKI	VS600	95on	500-044	
SUZUKI	AN650 Burgman scooter	upto 08	500-030	Shorten original spacer to 145mm.
SUZUKI	DL650 V-Storm, WVB1	04 -	500-063	Remove original spacer
SUZUKI	DR650S	90-95	500-110	NONE
SUZUKI	DR650SE (SP46 B)	96-09	500-043	
SUZUKI	DR650R/RS	90-92	500-109	
SUZUKI	DR650R	93-04	500-110	
SUZUKI	GR650	83	500-061	NONE
SUZUKI	GS650E	81	500-061	NONE
SUZUKI	GS650G/GL	81-83	500-083	100MM X 25
SUZUKI	GS650 KATANA	81on	500-083	
SUZUKI	LS650 SAVAGE	91on	500-049	

SUZUKI	SV650	99-02	500-102 500-201, 500-039, 500-177	USE STD
SUZUKI	SV650 N	03 on	500-002 or 500- 019 or 500	when using 500-019 or 500-146 will need a 10mm long x 35mm diameter spacer
SUZUKI	XF650 FREEWIND	97on	500-046	
SUZUKI	DR750	89-90	500-194	
SUZUKI	GS700E/ES		500-008	80MM X 28
SUZUKI	VS700 INTRUDER		500-008	40MM X 29
SUZUKI	750 KATANA		500-003	DISC STD
SUZUKI	750 KATANA		500-102	USE STD
SUZUKI	GS750 KATANA,	83	500-185	100MM X 27
SUZUKI	GS750E/L	79on	500-061	NONE
SUZUKI	GS750E/ES		500-008	80MM X 28
SUZUKI	GSX750	98on	500-216	
SUZUKI	GSX750E	80	500-181	
SUZUKI	GSX750ES	83on	500-211	
SUZUKI	GSX750EF	83on	500-212	
SUZUKI	GSX750EZ M AD		500-083	
SUZUKI	GSX750F	89-97	500-028	
SUZUKI	GSX750F	98-08	500-134	Re-Use original spacer
SUZUKI	GSX750L	84on	500-162	
SUZUKI	GSX750R	85-87	500-129	
SUZUKI	GSX750S KATANA	79on	500-185	
SUZUKI	GSXR750, GR75A	85-87	500-129 500-093	37MM X 34 to be used with 500-093.
SUZUKI	GSXR750	88-89	500-050	USE STD
SUZUKI	GSXR750 (UPSD 41MM)	90-92	500-031	
SUZUKI	GSXR750 (UPSD 41MM)	93	500-031	

SUZUKI	GSXR750 (UPSD 43MM)	94-95	500-032	
SUZUKI	GSXR750 (UPSD 43MM)	96on	500-070	
SUZUKI	GSXR750R	89	500-050	
SUZUKI	GT750	73-77	500-069	NONE
SUZUKI	VS750 INTRUDER	86on	500-196	USE STD
SUZUKI	DR800S	89-90	500-194	
SUZUKI	DR800S	91on	500-111	
SUZUKI	VL800 Volusia			
SUZUKI	VS800 INTRUDER	92on	500-196	USE STD
SUZUKI	VX800	89on	500-196	USE STD
SUZUKI	VZ800 MARAUDER	97-05	501-136	
SUZUKI	GS850G/L	83	500-185	USE STD
SUZUKI	RF900RS2	95on	500-017	
SUZUKI	DL1000 V-Strom	04-09	500-050	To be checked.
SUZUKI	GS1000E/S	78on	500-083	NONE
SUZUKI	GS1000 KATANA		500-083	NONE
SUZUKI	GS1000G	81on	500-185	100MM X 27
SUZUKI	SV1000, SV1000S	03-06	500-139	
SUZUKI	TL1000S	97on	500-092	
SUZUKI	1100 KATANA	88-93	500-003	USE STD
SUZUKI	GS1100E		500-185	47MM X 27
SUZUKI	GS1100E		500-185	NONE
SUZUKI	GS1100G	81on	500-083	DISC STD
SUZUKI	GS1100GK		500-196	23.75MM X 30
SUZUKI	GS1100L		500-185	100MM X 27
SUZUKI	GSX1100G		500-037	USE STD
SUZUKI	GSX1100EF	84on	500-211	
SUZUKI	GSX1100ES	83on	500-161	
SUZUKI	GSX1100EZ	82-83	500-211	
SUZUKI	GSX1100F/KATANA	upto 88	500-023	

SUZUKI	GSX1100F	89-93	500-129	
SUZUKI	GSX1100F	94on	500-177	
SUZUKI	GSX1100F	91on	500-050	
SUZUKI	GSX1100S KATANA, (GSX1100 EX 1981)	80on	500-185	
SUZUKI	GSXR1100	86-88	500-082	NONE
SUZUKI	GSXR1100	89-90	500-050	NONE
SUZUKI	GSXR1100 (UPSD 41MM)	90-92	500-016	
SUZUKI	GSXR1100	93-94	500-033	
SUZUKI	GSXR1100	95on	500-034	
SUZUKI	GS1150	84-86	500-185	22MM X 27
SUZUKI	1200 BANDIT / GSF1200 BANDIT GV75A	96-00	500-051	USE STD, may also use 500-050.
SUZUKI	1200/S BANDIT WVA9	01-04	500-051	USE STD
SUZUKI	GSX1200 Inazuma	98-02		
SUZUKI	GV1400 CAVALCADE	86-89		
SUZUKI	GSX1300R HYABUSA	99 on	500-223	
SUZUKI	GSX1400 (WVBN)	01-	500-057	Shorten original spacer by 8mm
SUZUKI	VS1400 INTRUDER	87-04	500-035	NONE
SUZUKI	VL1500 INTRUDER LC	98-04	500-003	21MM X 34
SUZUKI	VZ 1600 MARAUDER	04		
TRIUMPH	T120	70-72	500-091	14MM X 27
TRIUMPH	T140	73-83	500-091	14MM X 27
TRIUMPH	TR120	72-73	500-091	14MM X 27
TRIUMPH	TR6	71-72	500-091	14MM X 27
TRIUMPH	T160		500-211	37mm x 27mm spacer
TRIUMPH	T509/595	97on	500-057	
TRIUMPH	Adventrurer			
TRIUMPH	BONNEVILLE (NEW)	01-09	500-106	12MM X 34 Shorten original spacer.
TRIUMPH	BONNEVILLE AMERICA	02-09	500-027	The original spacer should be cut to 150mm - 155mm.
TRIUMPH	TRIDENT 750	92on	500-121	
TRIUMPH	DAYTONA 900	91on	500-128	

TRIUMPH	DAYTONA SUPER 111	94on	500-128	
TRIUMPH	DAYTONA SPEED TRIPLE	94on	500-128	
TRIUMPH	ROCKET III	04-09	500-259	
TRIUMPH	Scrambler	05-09	500-106	Shorten original spacer.
TRIUMPH	Speed Triple T 509, 955i	97-04	500-057	
TRIUMPH	Speed Triple 1050 - 515NJ	05 on	500-009	
TRIUMPH	900 SPRINT	95on	500-187	
TRIUMPH				
TRIUMPH				
TRIUMPH	THUNDERBIRD, T309RT	95on	500-186	
TRIUMPH	THUNDERBIRD Sport, with adjustable rebound damping. T309RT, RD309	97 on	500-054	
TRIUMPH	THRUXTON	04-09	500-113	Shorten original spacer to suit. Suggested length is 35mm.
TRIUMPH	TIGER T400	93-98	500-046	
TRIUMPH	TIGER T709T	99-01	500-230	
TRIUMPH	TIGER 955i 709EN/795	01-04		
TRIUMPH	TIGER 955i 709EN	05-06	500-037	Shorten original spacer (185mm) to suit.
TRIUMPH	TIGER 1050 (115NG)	07	500-089	
TRIUMPH	TRIDENT 900	92on	500-121	
TRIUMPH	TROPHY 900	92on	500-187 500-128	When using 500-128 a 37 x 60mm spacer is required
TRIUMPH	DAYTONA 1200	91on	500-128	
TRIUMPH	TROPHY1200	92on	500-187	
YAMAHA	YSR-50			
YAMAHA	TZR125	96on	500-073	
YAMAHA	YZ125			
YAMAHA	YZ125			
YAMAHA	YZ125			
YAMAHA	YZ125			
YAMAHA	IT200			

YAMAHA	IT250			
YAMAHA	RD250	80-82	500-183	
YAMAHA	RZ250 (29L)	83	500-091	14MM X 27
YAMAHA	SRX250		500-091	14MM X 27
YAMAHA	TDR250	88on	500-123 500-094	500-094 requires a 24mm x 29mm spacer
YAMAHA	TZ250	92on	500-184	
YAMAHA	TZR250R/SP	91on	500-201	
YAMAHA	WR250			
YAMAHA	XT250		500-221	250MM X 29
YAMAHA	XV250 (VIRAGO)	89on	500-091	
YAMAHA	YP250 MAJESTY	97-99	500-052	
YAMAHA	YZ250			
YAMAHA	YZ250/WR			
YAMAHA	YZ250			
YAMAHA	RD350	80-82	500-183	
YAMAHA	RD350 YPVS	83-85	500-126	
YAMAHA	RD350F/YPVS	86on	500-190	500-185 40 x 27mm spacer
YAMAHA	RZ350 (31K)	84-86	500-091	14MM X 27
YAMAHA	XT350 (+25MM HULSE)	85on	500-221	
YAMAHA	FZR400		500-196	55MM X 30
YAMAHA	FZR400RR	90-92	500-187	
YAMAHA	FZR400SP		500-088	
YAMAHA	RD400		500-181	DISC STD
YAMAHA	SR400	77 on	500-105, 500-181	
YAMAHA	SRX400	85-89	500-192	
YAMAHA	XS400SE	80-81	500-181	
YAMAHA	XS400 DOHC	82on	500-203	
YAMAHA	WR400F			
YAMAHA	YZ400/426F			

YAMAHA	WR450			
YAMAHA	YZ465			
YAMAHA	IT490			
YAMAHA	YZ490			
YAMAHA	500 VIRAGO		500-084	USE STD
YAMAHA	RD500LC, RZ500	84on	500-123 500-094	500-094 requires a 24mm x 29mm spacer
YAMAHA	RZ500		500-008	USE STD
YAMAHA	SR500	78on	500-105, 500-181	NONE
YAMAHA	TT500	76-78	500-091	14MM X 27
YAMAHA	TT500	79-81	500-091	83MM X 27
YAMAHA	WR500			
YAMAHA	XT500	78-79	500-140	
YAMAHA	XT500	81	500-140	30MM x 26.5MM
YAMAHA	XT500 H model	82	500-105	
YAMAHA	535 VIRAGO / XV535	89on	500-191	NONE
YAMAHA	550 MAXIM		500-061	20MM X 25
YAMAHA	550 SECA		500-091	14MM X 27
YAMAHA	550 VISION		500-061	DISC STD
YAMAHA	XJ550	81on	500-190	
YAMAHA	XZ550/S	82on	500-115	
YAMAHA	FJ600		500-040	NONE
YAMAHA	FZ600		500-040	NONE
YAMAHA	FZR600		500-196	USE STD
YAMAHA	FZR600 GENESIS	88-93	500-065	
YAMAHA	FZR600 GENESIS	94	500-036	
YAMAHA	FZR600 GENESIS	95on	500-068	
YAMAHA	FZR600R SSP	94on	500-036	
YAMAHA	FZS600 FAZER RJ02	98-03	500-088	
YAMAHA	FZS600 FAZER, FZ6S FAZER - RJ07	03-06		

YAMAHA	SECA II	92-98	500-196	USE STD
YAMAHA	SRX600	85-89	500-192	
YAMAHA	SRX600	90on	500-065	
YAMAHA	TT600	83-86	500-043	250MM X 36
YAMAHA	TT600	93on	500-080	
YAMAHA	XJ600	84on	500-127	
YAMAHA	XJ600S/N DIVERSION	91-97	500-049	
YAMAHA	XJ600S DIVERSION (DU=41MM)	98on	500-055	
YAMAHA	XT600	84	500-099	250MM X 35
YAMAHA	XT600E/K	90-02	500-160	NONE
YAMAHA	XT600Z	84-85	500-099	
YAMAHA	XT600Z	86-87	500-100	
YAMAHA	XT600Z Tenere; 3AJ	88on	500-160	
YAMAHA	XT600Z Tenere; DM02	08		
YAMAHA	YX600 RADIAN	86on	500-094	NONE
YAMAHA	YZF600 THUNDERCAT	96on	500-060	
YAMAHA	650 SECA		500-083	38MM X 25
YAMAHA	V-STAR CLASSIC		500-003	USE STD
YAMAHA	XJ650/MAXIM	80on	500-084	USE STD Can also use 500-083 plus spacer
YAMAHA	XJ650 TURBO		500-084	USE STD Can also use 500-083 plus spacer
YAMAHA	XS650 TWIN	76on	500-181	NONE
YAMAHA	XVS650	97on	500-107	
YAMAHA	SZR660	96on	500-022	
YAMAHA	XTZ660		500-111	
YAMAHA	XT660 R Enduro DM01	04on	500-048	
YAMAHA	XT660 X DM01	04on	500-048	
YAMAHA	700 VIRAGO		500-008	USE STD
YAMAHA	FZ700		500-196	100MM X 30
YAMAHA	FZX700 FAZER		500-084	14MM X 27
YAMAHA	XJ700X MAXIM		500-008	USE STD

YAMAHA	750 MAXIM		500-185	USE STD
YAMAHA	750 SECA		500-084	58MM X 27
YAMAHA	750 VIRAGO		500-084	64MM X 27
YAMAHA	750 VIRAGO		500-008	USE STD
YAMAHA	FZ750	85-86	500-196	USE STD
YAMAHA	FZ750	87-89	500-196	100MM X 30
YAMAHA	FZ750 GENESIS	87on	500-101	
YAMAHA	FZR750	87-88	500-003	NONE
YAMAHA	FZR750R	88-92	500-086	
YAMAHA	FZXR750 FASER	86on	500-123	
YAMAHA	XJ750	82-83	500-123	
YAMAHA	XJ750/F	84on	500-123, 500-182	500-182 is a heavier duty option and requires a spacer up to 30mm.
YAMAHA	XJ750 SECA	81on	500-007	
YAMAHA	XS750 SPECIAL (TRIPLE)	77-78	500-185	110MM X 27
YAMAHA	XS750	79on	500-185	
YAMAHA	XTZ750	89on	500-046	
YAMAHA	VX750SE	81on	500-193	
YAMAHA	YZF750R	93on	500-018	
YAMAHA	YZF750SP	93on	500-018	
YAMAHA	XS850 STD (TRIPLE)		500-185	10MM X 27
YAMAHA	XS850 SPECIAL (TRIPLE)	80-81	500-161	80MM X 27
YAMAHA	TDM850	91-95	500-024	
YAMAHA	TDM850	96-01	500-048	
YAMAHA	TRX850	96on	500-047	
YAMAHA	TDM 900	02-03		
YAMAHA	TDM 900	04 on		
YAMAHA	900 SECA		500-172	10MM X 28
YAMAHA	XJ900M.AD	83-84	500-061	
YAMAHA	XJ900O.AD	85on	500-008	

YAMAHA	XJ900S (DIVERSION)	92	500-106	Shorten Spacer to approximately 30mm
YAMAHA	XJ900 S DIVERSION 4KM	94-95	500-058	
YAMAHA	XJ900 S DIVERSION 4KM	96-03	500-059	
YAMAHA	920 VIRAGO	80-83	500-084	35mm x 26mm spacer
YAMAHA	1000 VIRAGO	84-85	500-008	USE STD
YAMAHA	FZR1000	86-88	500-086	NONE
YAMAHA	FZR1000 EXUP	89-90	500-037	NONE
YAMAHA	FZR1000	91-93	500-038	
YAMAHA	FZR1000	94on	500-039	
YAMAHA	FZS1000 Fazer, FZ1 RN06, RN14	01 on		
YAMAHA	TR1 XV1000	81on	500-084	35mm x 26mm spacer
YAMAHA	YZF1000 THUNDERACE	96-00	500-081	
YAMAHA	YZF1000 R1	98on	500-189	
YAMAHA	1100 MAXIM	82	500-008	78MM X 28
YAMAHA	1100 VIRAGO / XV1100 USA	86-99	500-094 500-127	USE STD
YAMAHA	FJ1100	84-85	500-082	DISC STD, may also use 500-027
YAMAHA	FJ1100	86-87	500-082	
YAMAHA	XS1100 STD	78-80	500-161	NONE
YAMAHA	XS1100 SPECIAL	79-81	500-161	80MM X 27
YAMAHA	XS1100S	81on	500-007	
YAMAHA	XVS 1100 VP5 Drag Star, V Star - Custom/Classic	99-06	500-088	
YAMAHA	XVS 1100 VP5 Drag Star Classic	00 on	500-298	
YAMAHA	FJ1200	85-90	500-082	
YAMAHA	FJ1200	91on	500-003	15mm x 34mm
YAMAHA	V-MAX 1200	85-92	500-025	USE STD
YAMAHA	V-MAX 1200	93on	500-050	USE STD
YAMAHA	VENTURE/ROYAL		500-065	NONE
YAMAHA	ROYAL STAR		500-051	176MM X 37
YAMAHA	ROAD STAR		500-051	170MM X 37

YAMAHA	XJR1200	94on	500-051	
YAMAHA	XJR1200SP (K R REPLICA)	96on	500-054	
YAMAHA	XJR1200 with adjustable compression and rebound (Japanese domestic model)	95on	500-128	
YAMAHA	FJR1300 RP04, RP08, RP11, RP13	01-07	500-276	
YAMAHA	XJR1300 / SP	99-01	500-128	
YAMAHA	XJR1300 RP01	99-01	500-128	
YAMAHA	XJR1300 RP06	02on	500-279	
YAMAHA	XVZ1300A Royal Star Venture	96on	500-179	
YAMAHA	XV1600 Wild Star VP08	99on	500-179	