

	Make and Model	Year	Part number	Notes
AJS	AJS			
AJS	Jamptop conversion shock		76-1706	fits into original shock absorber housing using original spring and cover hardware
	Benelli			
Benelli	250 2C	73-86	7610-1330	
Benelli	250 Quattro and 254	78-84	7610-1250SP4	
Benelli	350 and 354	79-85	7610-1282SP10	
Benelli	350 Quattro	79-85	7610-1250SP4	
Benelli	350 RS	78-81	7610-1250SP4	
Benelli	500 Quattro	73-77	7610-1250SP4	
Benelli	500 LS	80-82	7610-1282SP10	
Benelli	504	80-83	7610-1282SP10	
Benelli	650 Quattro	77-79	7610-1250SP5	
Benelli	650 Tornado S	72-76	7610-1250SP5	
Benelli	654 / Sport	80-85	7610-1282SP10	
Benelli	654 T	85-86	7610-1282SP10	
Benelli	750 Sei	74-79	7610-1250SP5	
Benelli	900 Sei	78-89	7610-1418	
	Aprilia			
Aprilia	Atlantic 500	02-06		
Aprilia	Scarabeo 150, 200, 250	02-06	7613-1003	single shock models without under seat storage.
Aprilia	Scarabeo 500	07	7610-1629	
	BMW			
BMW	K75, K75C, K75S	85-95	7614-1009	

BMW	K75RT	89-97	7614-1009	
BMW	K100, K100LT, K100RT	83-91	7614-1009	
BMW	K100RS	84-89	7614-1009	
BMW	K75, K100 models as above LOWERED		7614-1007	Lowered shock, 325mm long.
BMW	K1	88-93	7614-1008	
BMW	K100RS, para lever	90-93	7614-1008	
BMW	K1100RS, K1100LT	93-98	7614-1008	
BMW	R 26 front	55-69	76-1290	use original spring
BMW	R 26 rear	55-69	76-1291	use original spring
BMW	R 45	78-85	7610-1427	
BMW	R 50 front	55-69	76-1290	use original spring
BMW	R 50 rear	55-69	76-1291	use original spring
BMW	R 50 /5	69-73	7610-1298	
BMW	R 60 front	55-69	76-1290	use original spring
BMW	R 60 rear	55-69	76-1291	use original spring
BMW	R 60 /5	69-73	7610-1298	
BMW	R 60 /6	73-76	7610-1298	
BMW	R 60 /7	77-84	7610-1298	
BMW	R 65 / LS	78-85	7610-1427	
BMW	R65	86-93	7614-1020	
BMW	R 69 S front	55-69	76-1290	use original spring
BMW	R 69 S rear	55-69	76-1291	use original spring
BMW	R 75 /5	69-73	7610-1298	
BMW	R 75 /6	73-76	7610-1298	
BMW	R 75 /7	77-84	7610-1298	
BMW	R 80 RT / 7	77-84	7610-1298	
BMW	R 80 / R80 RT	85-95	7614-1020	

BMW	R 90 /6 and 6S	73-76	7610-1298	
BMW	R 100 / CS / RS / RT / S / 7	77-84	7610-1298	
BMW	R 100 / R 100 RS	87-92	7614-1020	
BMW	R 100 / R100 RT / Classic	87-95	7614-1020	
BMW	R1100R,RS, RT			
BMW	R1100S front		7613-	
BMW	R1150GS front	99-	7613-1001	
BMW	R1200 C front		7613-1002	
BMW	R1200 C rear			
	BSA			
BSA	Rocket 3 750		7610-1282SP6	conventional use, for solo use see *
BSA	*for solo use only on this model use:		7610-1282SP10	has lighter spring than the SP6
BSA	A65 various including Lightning	70-71	7610-1282SP6	13" shock models
BSA	A65 various including Lightning	72	7610-1250SP5	12.5" shock models
	Cagiva			
Cagiva	350 Ala Verde	85-87	7610-1419	
Cagiva	650 Ala Zorra	87-88	7610-1419	
	Ducati			
Ducati	250/350/450 Mk3 and Desmo and Scrambler	upto-76	7610-1330	
Ducati	500 LD / SL Pantah	78-85	7610-1330	
Ducati	600 TL / SL Pantah	81-85	7610-1330	
Ducati	650 SL Pantah	85-86	7610-1330	
Ducati	750 GT / Sport	72-75	7610-1330	
Ducati	750 / Super Sport	72-76	7610-1250SP5	

Ducati	750 Indiana	89-90	7610-1397	
Ducati	860 GT / GTS	75-79	7610-1418	
Ducati	900 GTS	75-79	7610-1418	
Ducati	900 SD Darmah	78-85	7610-1418	
Ducati	900 SS	75-77	7610-1250SP5	
Ducati	900 SS	78-82	7610-1418	
Ducati	900 Replica	79-84	7610-1418	
Ducati	900 S2 Desmo	83-85	7610-1418	
Ducati	1000 S2 Desmo	83-85	7610-1418	
Ducati	1000 Biposto Sport	06-09	7614-2005	
Ducati	GT1000	06-09	7614-2005	
	Harley Davidson			
Harley Davidson	Sportsters			
Harley Davidson	All Sportsters, eg KH, KHK 900	52-72		Old number 76-1336
Harley Davidson	All Sportsters, eg XLCR, XLH1000, XLS1000 Roadster	77-83	7610-1513SP8	
Harley Davidson	XL, XLH, XLCH 1000	57-78		Old number 76-1336
Harley Davidson	XLH 883 Sportster	84-87	7610-1513SP8	
Harley Davidson	XLH 883 Sportster / Sportster Deluxe	88-93	7610-1517SP8	approx. standard height
Harley Davidson	XLH 883 Sportster / Sportster Deluxe	88-93	7610-1539SP8 7610-1617 7610-1617SP8 7610-1617SP14	12" shock lowers bike approx. 40mm
Harley Davidson	XLH 883 Sportster / Sportster Deluxe	94-05	7610-1528 7610-1528SP8 7610-1601 7610-1601SP8	approx. standard height . 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.

Harley Davidson	XLH 883 Sportster / Sportster Deluxe	94-05	7610-1539SP8 7610-1617 7610-1617SP8 7610-1617SP14	12" shock lowers bike approx. 25mm
Harley Davidson	XL 883, XL883 R Sportster	04-09	7610-1528 7610-1528SP8 7610-1601 7610-1601SP8	standard height . 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
	XL 50, 1200 Anniversary Sportster	07	7610-1528 7610-1528SP8 7610-1601 7610-1601SP8	approx. standard height . 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
	XL 50, 1200 Anniversary Sportster	07	7610 1539 7610-1539SP8 7610-1617 7610-1617SP8 7610-1617SP14	12" shock lowers bike approx. 25mm
Harley Davidson	XL 53 C Sportster Custom	99-03	7610-1539SP8 7610-1617SP8	7610-1617SP8 has a stronger spring fitted
Harley Davidson	XLH 883 C Sportster Custom	99-03	7610-1539SP8 7610-1617SP8	7610-1617SP8 has a stronger spring fitted
Harley Davidson	XL 883 C Sportster Custom	04-09	7610 1622 7610-1622SP8	Standard unit is 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XLH 883 Sportster Hugger	88-91	7610-1513SP8	
Harley Davidson	XLH 883 Sportster Hugger	92-03	7610-1539SP8 7610-1617SP8	7610-1617SP8 has a stronger spring fitted
Harley Davidson	XL 883 R Sportster "Flat-Track"	02-03	tbd	

Harley Davidson	XL 883 C & L	07-09	7610-1622 7610-1622SP8	Standard unit is 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XLH 1200 Sportster	88-93	7610-1517SP8	approx. standard height
Harley Davidson	XLH 1200 Sportster	88-93	7610-1539SP8 7610-1617 7610-1617SP8 7610-1617SP14	12" shock lowers bike approx. 40mm
Harley Davidson	XLH 1200 Sportster	94-03	7610-1528 7610-1528SP8 7610-1601 7610-1601SP8	standard height . 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XLH 1200 Sportster	94-03	7610-1539 7610-1539SP8 7610-1617 7610-1617SP8 7610-1617SP14	12" shock lowers bike approx. 25mm
Harley Davidson	XL 1200 S Sportster Sport	96-03	7610-1517SP8	standard height
Harley Davidson	XL 1200 S Sportster Sport	96-03	7610-1539SP8	lowers bike approx. 40mm
Harley Davidson	XL 1200 C Sportster Custom	96-03	7610-1539SP8 7610-1617SP8	7610-1617SP8 has a stronger spring fitted
Harley Davidson	XL 1200 C Sportster Custom	04-09	7610-1622 7610-1622SP8	Standard unit is 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL 1200 C & L	07-09	7610-1622 7610-1622SP8	Standard unit is 292mm. The Ikon unit 295mm and may lift the rear fractionally.
Harley Davidson	XL 1200 N Nightster	07-09		11" Short stroke shock available

Harley Davidson	XL 1200 R Sportster Roadster	04-08	7610-1528 7610-1528SP8 7610-1601 7610-1601SP8	approx. standard height . 7610-1601/SP8 is for heavier duty applications. eg regular loads above 95kg.
Harley Davidson	XR1000	83-84	7610-1513	
Harley Davidson	XR1200	08-09	7610-1517	
Harley Davidson	Dyna Glides			
Harley Davidson	FXD 35	06-08	7610-1527SP8 7610-1527SP15	standard height
Harley Davidson	FXD 35	06-08	7610-1535SP8	lowers bikes approx. 25mm
Harley Davidson	FXD/I 1340, 1450 & 1584 Dyna Super Glide	95-08	7610-1527SP8 7610-1527SP15	standard height
Harley Davidson	FXD/I 1340, 1450 & 1584 Dyna Super Glide	95-08	7610-1535SP8	lowers bikes approx. 25mm
Harley Davidson	FXDB 1340 Dyna Glide Daytona	92-95	7610-1535SP8	
Harley Davidson	FXDB/I 1450 & 1584 Dyna Street Bob	06-09	7610-1535SP8	
Harley Davidson	FXDC 1340 Dyna Custom	91-92	7610-1535SP8	
Harley Davidson	FXDC/CI	95-09	7610-1527SP8 7610-1527SP15	standard height
Harley Davidson	FXDC/CI	95-09	7610-1535SP8	lowers bikes approx. 25mm
Harley Davidson	FXDF Dyna Fat Bob	06-09	7610-1535SP8	
Harley Davidson	FXDL/I 1340 & 1450 Dyna Low Rider	93-00	7610-1527SP8 7610-1527SP15	standard height
Harley Davidson	FXDL/I 1340 & 1450 Dyna Low Rider	93-00	7610-1535SP8	lowers bikes approx. 25mm
Harley Davidson	FXDL/I 1450 & 1584 Dyna Low Rider	01-09	7610-1535SP8	
Harley Davidson	FXDS/C 1340 & 1450 Dyna Convertible	94-00	7610-1527SP8 7610-1527SP15	lowers bikes approx. 10mm
Harley Davidson	FXDS/C 1340 & 1450 Dyna Convertible	94-00	7610-1535SP8	lowers bikes approx. 35mm

Harley Davidson	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide	93-08	7610-1527SP8 7610-1527SP15	standard height
Harley Davidson	FXDWG/I 1340, 1450 & 1584 Dyna Wide Glide	93-08	7610-1535SP8	lowers bike approx. 25mm
Harley Davidson	FXDX 1450 Dyna Super Glide Sport	1999	7610-1527SP8 7610-1527SP15	lowers bike approx. 10mm
Harley Davidson	FXDX 1450 Dyna Super Glide Sport	1999	7610-1535SP8	lowers bike approx. 35mm
Harley Davidson	FXDX/I 1450 Dyna Super Glide Sport	00-05	7610-1639 7610-1639SP8 7610-1639SP14 7610 1639SP16	13" (330mm unit)
Harley Davidson	FXDXT 1450 Dyna Super Glide T-Sport	01-05	7610-1639 7610-1639SP8 7610-1639SP14 7610 1639SP16	13" (330mm unit)
Harley Davidson	All DYNA models 11" extra short shocks	92-09	7610-1618 7610-1618SP8 7610-1618SP14 7610-1618SP15	Fitting 11" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper.
Harley Davidson	All DYNA models 11.5" extra short shocks	92-09	7610-1632 7610-1632SP8 7610-1632SP14	Fitting 11.5" units may require the reshaping of the rear guard to avoid damage from and of the brake caliper
Harley Davidson	Electra Glides / Low Riders ...			
Harley Davidson	FL / FLH / FXE 1200 (Shovel Head)	73-79	76-1402	use original spring
Harley Davidson	FLH 1340 Electra Glide (Shovel Head)	74-84	76-1402	use original spring
Harley Davidson	FLH 1340 Electra Glide Classic (Shovel Head)	80-84	76-1402	use original spring
Harley Davidson	FLHS 1340 Electra Glide Sport- Ikon preferred shock for this bike	85-93	7610-1531SP8	11mm shorter than OE, but heavier spring

Harley Davidson	FLHS 1340 Electra Glide Sport	85-93	7610-1513SP8	length as -1531SP8, softer spring than it
Harley Davidson	FLHS 1340 Electra Glide Sport	85-93	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FLHT/I, FLHTC/I, FLHTCU/I 1340 & 1450- Ikon preferred shock for this bike	80-09	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	(Electra Glide Standard, Classic, Ultra Classic)	80-09	7610-1513SP8	length as -1531SP8, softer spring than it
Harley Davidson	models as above two rows	80-09	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FLHR/I, FLHRCI, FLHCI 1340, 1450, 1580- Ikon preferred shock for this bike	94-09	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	(Road King, Road King Classic)	94-09	7610-1513SP8	length as -1531SP8, softer spring than it
Harley Davidson	models as above two rows	94-09	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FLHRS/I 1450 Road King Custom, FLHX 1580 Streetg	94-09	7610-1539SP8 7610-1617SP8	7610-1617SP8 has a stronger spring fitted
Harley Davidson	FLT all models	80-09	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	FXB 1340 Sturgis - (Shovel Head)	80-82	76-1402	use original spring
Harley Davidson	FXE 1340 Fat Bob / Super Glide (Shovel Head)	80-84	76-1402	use original spring
Harley Davidson	FXLR 1340 Low Rider Custom	87-94	7610-1517SP8	Longer than original shock.
Harley Davidson	FXLR 1340 Low Rider Custom	87-94	7610-1528SP8 7610-1601SP8	Same length as original shock. 7610-1601SP8 recommended for heavier duty use where riding loads exceed 90kg most of

Harley Davidson	FXLR 1340 Low Rider Custom	87-94	7610-1539SP8	lowers bike app. 40mm more than 7610-1517SP8 and approx 25mm compared to 7610-1539SP8
Harley Davidson	FXR/FXRD/FXLR/FXRS	82-86	7610-1513SP8	
Harley Davidson	FXR 1340 Super Glide - Ikon preferred shock for this bike	87-94	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	FXR 1340 Super Glide	87-94	7610-1513SP8	length as -1531SP8, softer spring than it
Harley Davidson	FXR 1340 Super Glide	87-94	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FXR 1340 Super Glide	87-94	7610-1521SP8	50mm shorter than OE, spring as above
Harley Davidson	FXRS 1340 Low Rider- Ikon preferred shock for this bike	87-94	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	FXRS 1340 Low Rider	87-94	7610-1513SP8	length as -1531SP8, softer spring than it
Harley Davidson	FXRS 1340 Low Rider	87-94	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FXRS 1340 Low Rider	87-94	7610-1521SP8	50mm shorter than OE, spring as above
Harley Davidson	FXRS 1340 Low Rider Convertible	88-94	7610-1517SP8	approx. standard height
Harley Davidson	FXRS 1340 Low Rider Convertible	88-94	7610-1539SP8	lowers bike approx. 40mm
Harley Davidson	FXRS-SP 1340 Low Rider Sport Edition	87-94	7610-1517SP8	approx. standard height
Harley Davidson	FXRS-SP 1340 Low Rider Sport Edition	87-94	7610-1539SP8	lowers bike approx. 40mm
Harley Davidson	FXRT	82-86	7610-1528SP8 7610-1601SP8	7610-1601SP8 recommended for heavier duty use where riding loads exceed 90kg most of the time
Harley Davidson	FXRT 1340 Sport Glide- Ikon preferred shock for this bike	87-92	7610-1531SP8	11mm shorter than OE, but heavier spring
Harley Davidson	FXRT 1340 Sport Glide	87-92	7610-1513SP8	length as -1531SP8, softer spring than it 1531SP8

Harley Davidson	FXRT 1340 Sport Glide	87-92	7610-1528SP8 7610-1601SP8	standard length, spring rate for 1528SP8 is as per 1513SP8, spring rate for 1601SP8 is as per 1531SP8. 1601SP8 recommended for extra heavy duty needs with loads over 90kg most of the time.
Harley Davidson	FXRT 1340 Sport Glide	87-92	7610-1521SP8	50mm shorter than OE, spring as above
Harley Davidson	FXS 1340 Low Rider	80-84	76-1402	use original spring
Harley Davidson	FXWG 1340 Wide Glide	80-84	76-1402	use original spring
Harley Davidson	V-Rod			
Harley Davidson	VRSA 1130	02-05	7610-1601 7610 1601SP8 7614-1601	It is possible to lower the V-rod using 7610-1539(SP8). Lowering by more than this may require alterations to other parts on the bike.
Harley Davidson	VRSB, VRSC, VRSCAW 1130, VRSCD(Night Rod)	04-08	7610-1601 7610 1601SP8 7614-1601	It is possible to lower the V-rod using 7610-1539(SP8). Lowering by more than this may require alterations to other parts on the bike.
Harley Davidson	VRSCDX Night Rod Special	07-09	7610-1645	
Harley Davidson	VRSCR	06-07	7610-1620 7610-1620SP8	
	Springer front suspension			
Harley Davidson	Various models with 234mm long shock fully open.		76-1702	
	Honda			
Honda	CR 80 R	80-81	7610-1250SP4	
Honda	XR 80	79-81	7610-1250SP4	
Honda	CT 110	?	76-1461	
Honda	CA 125 Rebel	95-98	7610-1530SP8	
Honda	CB 125 N / S	76-80	7610-1419	

Honda	CB 125 T	78-86	7610-1419	
Honda	CG 125	80-84	7610-1419	
Honda	CM 125 / C	80-86	7610-1419	
Honda	CT 125	81		
Honda	SH150	2003 -	7610-1613	
Honda	CM 200 T	81-86	7610-1419	
Honda	CT 200, CTX200 Ag bike (twin shock models)	?	76-1462 7610-1422*	*plus 3 sleeves 70-52-11-367-0 (per pair)
Honda	TA Shadow (200cc)	02-04	tbd	
Honda	XL 230	02-	tbd	
Honda	CA 250 Rebel	94-01	tbd	
Honda	CB 250, CJ 250	66-76	7610-1302	
Honda	CB 250 T	77-79	76-1408	
Honda	CB 250 N	79-85	76-1408	
Honda	CB 250 Two Fifty	92-05	76-1472	
Honda	CB250RS	83	76-1472	
Honda	CBX 250 RS, GB250 Clubman	85-98	7610-1429SP1	
Honda	CD 250 U	88-93	7610-1429SP1	
Honda	CM 250 C	82-86	7610-1419	
Honda	CMX 250 Rebel	96-04	7610-1530SP8	
Honda	SH 250 Scooter		7610-1613	
Honda	V25 Custom	94-00	tbd	
Honda	VT 250 (Custom/Cruiser)	94-02	7610-1646SP8	
Honda	SH300i Scooter	2007	7610-1640	
Honda	CB 350 / CJ 350 T	66-76	7610-1302	
Honda	CB 350 F	73-75	7610-1302	
Honda	CL 350, Scambler	70-73	7610-1302	

Honda	CB 360	76	7610-1302	
Honda	CB 400 T / AT	77-85	76-1408	
Honda	CB 400 F	74-79	7610-1302	
Honda	CB 400 N	79-85	76-1408	
Honda	CB 400 Super Four	93-96	7610-1512	
Honda	CB 400 V-tec	00-02	7610-1604	
Honda	CB 400	08	7610-1604	
Honda	CB 400 SS, CL 400	98-	7610-1348	
Honda	CM 400 A/T/TZ	79-86	7610-1302	
Honda	CX 400 / C	81-83	7610-1412	
Honda	GB 400 Clubman (Tourist Trophy)	85-92	7610-1511SP8	
Honda	CB 450	66-76	7610-1302	
Honda	CB 450 N	84-87	76-1408	
Honda	CB 450 S	86-90	7610-1512	
Honda	CB 500	93-00	7610-1534	
Honda	CB 500 F / T	71-78	7610-1302	
Honda	CX 500 / C	78-86	7610-1412	
Honda	FT 500	82-89	7610-1502	
Honda	GB 500 Clubman (Tourist Trophy)	91-93	7610-1511SP8	
Honda	VF 500 Custom			
Honda	VT 500 Custom	83-89	7610-1505SP8	
Honda	VT 500 E / Custom	83-89	7610-1505	
Honda	XBR 500 S	85-90	7610-1511SP8	
Honda	CB 550 F / K	74-79	7610-1302	
Honda	CB 650 / C	79-84	7610-1296	
Honda	CBX 650 E Nighthawk	83-89	7610-1283SP4	
Honda	CX 650 C (RC11)	83 on	7610-1412	Check clearances

Honda	VF 700 Super Magna (RC21)	82-87	7610-1502	
Honda	750 Nighthawk	91-03	7610-1512	
Honda	CB 750 C	81-84	7610-1296	
Honda	CB 750 F	69-79	7610-1296	
Honda	CB 750 K	69-80	7610-1296	
Honda	CB 750 F1/F2	76-80	7610-1296	
Honda	CB 750 FA, FB, FC, FD	80-84	7610-1413	
Honda	CB 750 KZ,	79-84	7610-1413	
Honda	CB 750 F2 Seven Fifty	92-99	7610-1537	
Honda	Shadow A.C.E. 750	98-03	7610-1504SP8	
Honda	Shadow Aero 750	2004	tbd	285mm open length.
Honda	Shadow Spirit 750	01-03	7610-1606	
Honda	VF 750 C / Super Magna (RC09)	82-87	7610-1502	
Honda	VF 750 (Super) Magna (RC28-Shaftdrive)	88-93	7610-1526 7610-1505	7610-1505 for heavier duty use. Eg loads over 90kg or 2 up riding more than 50% of the time
Honda	VF 750 C (RC43 - Chaindrive) Magna	93-03	7610-1504SP8	
Honda	VT 750 Shadow Aero	2004	tbd	285mm open length., Bushes:16mm top, 10mm and 14mm bo
Honda	VT 750 Shadow Spirit	03-06	7610-1606	OEM unit said to be 308mm
Honda	VT 750 C	83-85	7610-1504SP8	
Honda	VT 750 C/C2/CD Shadow , Ace	97-03	7610-1504SP8	
Honda	VT 750 DC Black Widow	01-04	7610-1606	
Honda	VT 750 C4			7610-1541SP8 with change of top bush to 110.
Honda	VT 750 C2 Fuel Injected.	07-08		7610-1541SP8 with change of top bush to 110.
Honda	PC 800 Pacific Coast	89-98	7610-1422	
Honda	CB 900 inc Bol d'Or	79-84	7610-1413	
Honda	CBX 1000	78-81	7610-1413	
Honda	CB 1000 Big 1 SC30	92-98	7610-1523	normal loads

Honda	CB 1000 Big 1 SC30	92-98	7610-1600	heavier loads
Honda	GL 1000 Gold Wing	75-81	7610-1296	
Honda	CB 1100 R	81-84	7610-1413	
Honda	CB 1100 F	82-85	7610-1413	
Honda	GL 1100 DX	80-84	7610-1434	
Honda	GL 1100 Gold Wing	80-84	7610-1434	
Honda	GL 1100 STD	80-84	7610-1434	
Honda	GL1200	84-87	7610-1507	Original unit are air shocks. Ikon only offer steel sprung units. Have at times made stronger sprung options using 515 springs at a higher price.
Honda	Shadow Aero 1100	98-02	tbd	
Honda	V65 Magna (1100cc)	83-86	7610-1507	
Honda	VF 1100 C	83-86	7610-1507	
Honda	VT 1100 C Shadow (1086cc USA version)	85-88	7610-1504SP8	
Honda	VT 1100 C Shadow (1099cc)	89-95	7610-1533SP8	
Honda	VT 1100 C Shadow A.C.E./Spirit/Sabre - NOT Aero m	95-06	7610-1533SP8	
Honda	CB 1300, CB 1300 Super Four	03-06	7610-1507 7610-1507SP8	Bushes 14mm x 20mm top, 10mm x 20mm bottom.
Honda	VTX 1300 S Retro (USA only)	2003	7610-1533SP8	lowers bike approx. 13mm
Honda	VTX 1300	02-08	7610-1642SP8	
Honda	GL1500 Goldwing	88-00		345mm long shock, 607 spring, 108 bushes. Work with 7610-1318. The original set up on this bike had an air shock on one side and a steel sprung shock on the other. Using Ikon's on these models removes the air adjustability.
Honda	GL 1500 (F6C) C/D/T, Valkyrie, Valkyrie Tourer	96-03	7610-1542SP8	
Honda	GL 1500 CF Valkyrie Interstate	99-01	7610-1542SP8	
Honda	VTX 1800 C, N, R, S, T	02-04	7610-1605SP8	

Honda	VTX 1800 C, F	05-08	7610-1605SP8	CHECK TOP MOUNTING BOLT DIAMETER. May require special 19mm bush.
	Hyosung			
Hyosung	Aquila GV250		7610-1511SP8	OE shock 320mm long, 12mm bolts
Hyosung	Aquila GV650	06-07	7610-1634 7610-1634SP8	
	Jawa			
Jawa	250	75-90	7610-1250SP5	
Jawa	350 Blue Style / TS	75-94	7610-1250SP5	
Jawa	500	75-90	7610-1250SP5	
	Kawasaki			
Kawasaki	KX60	98-04	7613-1004	mini bike mono shock
Kawasaki	Mach III H1 / H1A-H1F (500cc)	69-75	7610-1525	
Kawasaki	S-1/S-2/S-3/H-2/H2B	72-75	7610-1348SP1 7610-1348 7610-1348SP8	2 x 70 52 11 427 0 per pair required. Applies to both options
Kawasaki	Eliminator 125 / EL125 Elim. (BN125A1-6)	97-04	tbc	
Kawasaki	Z 200	77-81	7610-1525	
Kawasaki	BR250	86	7610-1307	
Kawasaki	Estrella, Estrella RS (250cc) (BJ250)	92-02	7610-1307	
Kawasaki	Estrella Custom (250cc) / 250TR	00-02	7610-1307	
Kawasaki	EL 250, EL250 Eliminator	88-95	7610-1307	
Kawasaki	Eliminator 250 (EL250), VN250	96-04	7610-1307	
Kawasaki	KH 250	76-79	7610-1525	

Kawasaki	Z 250	79-83	7610-1348	see entry below also
Kawasaki	Z 250	83-85	7610-1429SP1	has off-set bottom eye (& is a little longer)
Kawasaki	Z 250 LTD	80-81	7610-1525	
Kawasaki	Z 250 LTD	82-84	7610-1429SP1	
Kawasaki	ZL 250 Eliminator	87-98	7610-1525*	*to be confirmed
Kawasaki	EL 252, EL 252 Eliminator	96-03	7610-1525*	*to be confirmed
Kawasaki	305 LTD	87-89	7610-1348	
Kawasaki	Z 305 CSR	84-88	7610-1348	
Kawasaki	KH 400	76-79	7610-1525	
Kawasaki	Z 400	76-80	7610-1348	
Kawasaki	Z 400 G	81-84	7610-1429SP1	
Kawasaki	Z 400 J	80-85	7610-1343SP1	
Kawasaki	Z 400	85-88	7610-1348	
Kawasaki	Z 400 LTD	81-84	7610-1429SP1	
Kawasaki	Zephyr 400	91-95	7610-1343SP1*	*to be confirmed
Kawasaki	Zephyr X (400cc)	96-03	tbd	
Kawasaki	Z 440	80-81	7610-1348	
Kawasaki	Z 440 LTD	80-81	7610-1348	
Kawasaki	Z 440 LTD	82-84	7610-1429SP1	
Kawasaki	Z 440 LTD	85-88	7610-1348SP8	
Kawasaki	Z 440 Twin	82-84	7610-1429SP1	
Kawasaki	Z 440 Twin	85-88	7610-1348	
Kawasaki	Z 450 LTD, LTD 450 (EN450 A1-A5)	85-89	7610-1348SP8	
Kawasaki	454 LTD	84-90	7610-1348SP8	
Kawasaki	Mach III H1 / H1A-H1F (500cc)	69-75	7610-1525	
Kawasaki	ER-5 (500cc) (ER500 A1-A4)	97-00	7610-1551	
Kawasaki	ER-5 (500cc) (ER500 C1-C4)	01-05	7610-1523	

Kawasaki	EN 500 Vulcan	90-95	7610-1307	standard height, standard shock
Kawasaki	EN 500 Vulcan	90-95	7610-1530SP8	lowers bike approx. 25mm, chrome shock
Kawasaki	EN 500 Vulcan (C1-C8), Vulcan 500 LTD	96-04	7610-1506SP8	
Kawasaki	KH 500	76-79	7610-1525	
Kawasaki	Z 500	79-85	7610-1343SP1	
Kawasaki	GT 550 (Z550 G)	82-89	7610-1348	
Kawasaki	GT 550 (Z550 G)	90-01	7610-1348*	*to be confirmed
Kawasaki	Z 550 LTD	80-84	7610-1429SP1	
Kawasaki	Z 550 (GP)	80-85	7610-1343SP1	
Kawasaki	Zephyr 550 (ZR550 B2-B8)	91-99	7610-1523	
Kawasaki	ZL 600	86-89	7610-1429SP1	
Kawasaki	ZL 600 Eliminator, Eliminator 600	95-97	7610-1348	standard height, standard shock
Kawasaki	ZL 600 Eliminator, Eliminator 600	95-97	7610-1348SP8	standard height, chrome shock
Kawasaki	ZL 600 Eliminator, Eliminator 600	95-97	7610-1532SP8	lowers bike approx. 35mm, chrome shock
Kawasaki	SR 650	80-84	7610-1429SP1	
Kawasaki	W 650 (EJ650)	99-04	7610-1603	
Kawasaki	W650	99-04	7610-1628	273mm unit for Japanese lowered applications.
Kawasaki	Z 650 B, C, D and SR	76-81	7610-1348	
Kawasaki	Z 650 E, F / SP, H	80-84	7610-1429SP1	
Kawasaki	GT 750 (Z750 P1-P9)	82-96	7610-1348	
Kawasaki	VN 750 Vulcan, Vulcan 750	85-04	7610-1348SP8*	*to be confirmed
Kawasaki	Z 750 (2 cylinder)	76-80	7610-1348	
Kawasaki	Z 750	80-87	7610-1429	
Kawasaki	Z 750 E/L	80-85	7610-1429	
Kawasaki	Z 750 LTD	80-86	7610-1429SP8	
Kawasaki	Z 750 GP(R)	82-86	7610-1343SP1	
Kawasaki	Z 750 Spectre, KZ 750 N1/N2 Spectre	82-83	7610-1348	

Kawasaki	Z 750 Sport	82-88	7610-1343SP1	
Kawasaki	Z 750 L4	85-87	7610-1343	
Kawasaki	Zephyr 750 (ZR750)	91-99	7610-1523	
Kawasaki	Zephyr 750 (Japan)	97-03	7610-1523*	*to be confirmed
Kawasaki	Z 900 (Z1)	73-76	7610-1343	
Kawasaki	900 LTD	76-80	7610-1429	337mm open. Stock length 343mm
Kawasaki	Z 900 Eliminator	87-88	7610-1429	
Kawasaki	ZL 900 Eliminator	85-86	7610-1429*	*to be confirmed
Kawasaki	ZL 900	87-89	7610-1429	
Kawasaki	ZL 1000, ZL 1000 Eliminator	87-89	7610-1429*	*to be confirmed
Kawasaki	Z 1000 all models	77-86	7610-1343	
Kawasaki	Z 1100 except LTD and Spectre	80-86	7610-1343	
Kawasaki	GPZ1100	80-86	7610-1343	
Kawasaki	Z 1100 LTD	83-84	7610-1429	
Kawasaki	Z 1100 Spectre	82-87	7610-1429	
Kawasaki	Zephyr 1100 (ZR1100)	92-97	7610-1523	normal loads
Kawasaki	Zephyr 1100 (ZR1100)	92-97	7610-1600	heavier loads (cases etc.)
Kawasaki	Zephyr 1100 (Japan)	97-03	7610-1523*	normal loads *to be confirmed
Kawasaki	Zephyr 1100 (Japan)	97-03	7610-1600*	heavier loads (cases etc.) *tbc
Kawasaki	ZRX 1100 (ZR1100 C1-C4)	97-00	7610-1507 7614-1507	
Kawasaki	ZRX 1200, ZRX 1200 R / S (ZR1200 A/B)	01-04	7610-1507 7614-1507	
Kawasaki	Z 1300	78-89	7610-1422	
Kawasaki	ZN1300 Voyager	1983	7610-1542SP14	
Kawasaki	VN 1500 (Vulcan 88, 1500L, VN 15 / SE)	88-98	7610-1434SP8	standard height
Kawasaki	VN 1500 (Vulcan 88, 1500L, VN 15 / SE)	88-98	7610-1532SP8	lowers bike approx. 25mm

Kawasaki	VN 1500 Vulcan Classic, incl. Fi	96-04	7610-1542SP8	
Kawasaki	VN 1500 Vulcan Classic Tourer, incl. Fi	98-04	7610-1542SP8	
Kawasaki	VN 1500 Vulcan Drifter, incl. Fi and Interstate	99-04	tbc	330mm special shock available, mounts 14 x 20mm.
Kawasaki	VN 1500 Vulcan Nomad, incl. Fi	98-04	7610-1542SP8	
Kawasaki	VN 1500 Mean Streak	02-04	7610-1643SP8	340mm shock. Top mtg 14mm roller bearing, bottom mtg 14mm bush. 28mm wide top and 20mm wide bottom
Kawasaki	VN 1600 Vulcan Classic	03-07	tbd	
Kawasaki	VN 1600 Mean Streak	2004-08	7610-1643SP8	340mm shock. Top mtg 14mm roller bearing, bottom mtg 14mm
Kawasaki	VN 2000	04	tbd	single shock model.
	Kymko			
Kymko	Dink		7610-1613	
	Laverda			
Laverda	350 and 500	79-85	7610-1282SP10	
Laverda	750 all models	70-80	7610-1318	
Laverda	1000 3C	73	7610-1397	
Laverda	1000 / 1000 RGS	76-89	7610-1397	
Laverda	1200	76-89	7610-1397	
Laverda	Jota		7614-2006	
	Maico			
Maico	MD 250 WK	79-83	7610-1283 + 250-15/21/26	
	Matchless			
Matchless	Jampot conversion shock		76-1706	fits into original shock absorber housing using original spring and cover hardware

	Moto Guzzi			
Moto Guzzi	V 35 (I), V35 II, V35 III, Imola I	78-88	7610-1410	
Moto Guzzi	V 35 Custom	82-85	7610-1429	
Moto Guzzi	V 35 Imola II	84-85	7610-1429SP1	
Moto Guzzi	V 40	78-84	7610-1410	
Moto Guzzi	V 50, V50 II, V50 III	78-84	7610-1410	
Moto Guzzi	V 50 Custom	82-84	7610-1429	
Moto Guzzi	V 50 Monza II	84-85	7610-1429SP1	
Moto Guzzi	V 65 / V 65 Sport	82-84	7610-1297	
Moto Guzzi	V 65 Custom	83-86	7610-1429	
Moto Guzzi	V 65 Florida	84-87	7610-1429	
Moto Guzzi	V 65 Florida	92-94	7610-1282SP3	
Moto Guzzi	V 65 Lario	84-87	7610-1429SP1	
Moto Guzzi	Breva (750cc)	03-09	7614 -2003 7610-1623	
Moto Guzzi	Nevada 750	93-97	7610-1625	For models which do not have the centre stand kit handle fitted. This handle is a bolt on item and can be easily removed. It can also be altered to allow the larger diameter of the spring to pass it. If this is not desired a special extended top mounting version can be made at extra cost. 395mm open, 14mm x 20mm bushes (70 52 25 108 0), no need for spaced top eye, 217 springs.
Moto Guzzi	Nevada 750 Club	98-01	7610-1607 7610-1500SP8	
Moto Guzzi	Nevada 750 Club	02-04	7610-1607 7610-1422	Lighter spring option - solo use

Moto Guzzi	Nevada 750 Classic IE	05-06	7614-2004	370mm long shock with top eye extension
Moto Guzzi	V 7, V 7 Sport and Special (750 & 850cc), Ambassador, Eldorado	72-91	7610-1297	
Moto Guzzi	V7 Classic	08-09	7610-1623	
Moto Guzzi	850 California, T3, T4, 850 GT	76-83	7610-1297	
Moto Guzzi	850 California T5	83-88	7610-1429	
Moto Guzzi	Le Mans I and II (850cc), S3 (750)	75-81	7610-1297	
Moto Guzzi	Le Mans III (850cc)	81-84	7610-1429	
Moto Guzzi	Le Mans IV and V (1000cc)	84-94	7610-1429	
Moto Guzzi	1000 Le Mans	84-94	7610-1429	
Moto Guzzi	1000 California	82-87	7610-1429SP8	
Moto Guzzi	1000 California III / CI / IE	87-93	7610-1429SP8	
Moto Guzzi	1000 GS / Convert	72-84	7610-1297	
Moto Guzzi	1000 SP	72-84	7610-1297	
Moto Guzzi	1000 SPII / SPIII / S	84-94	7610-1429	
Moto Guzzi	1000 Mille GT	88-93	7610-1429	
Moto Guzzi	1000 Strada	92-94	7610-1429	
Moto Guzzi	1100 / 1100i California	93-98	7610-1529 7610-1529SP8	
Moto Guzzi	California 75 limited edition	97-98	7610-1529 7610-1529SP8	
Moto Guzzi	California EV (1100cc) with top mount cover panel	98-01	7610-1610 7610-1610SP8	340mm shock, Includes special extended top
Moto Guzzi	California Special / Bassa (USA)	99-00	7610-1610 7610-1610SP8	340mm shock, Includes special extended top
Moto Guzzi	California EV (1100cc) without top mount cover panel	98-01	7610-1529SP8	
Moto Guzzi	California EV (1100cc) without top mount cover panel	02-05	7610-1500SP8	

Moto Guzzi	California EV (1100cc) with top mount cover panel	02-05	7610-1615 7610-1615SP8	360mm shock, Includes special extended top
Moto Guzzi	California EVT	02	7610-1615 7610-1615SP8	360mm shock, Includes special extended top
Moto Guzzi	California Sport Special, Aluminium, Titanium	02-05	7610-1610 7610-1610SP8	340mm shock, Includes special extended top
Moto Guzzi	California Stone	01-05	7610-1607 7610-1500SP8	
Moto Guzzi	California Stone Metal	02	7610-1607 7610-1500SP8	
Moto Guzzi	California Stone Touring	03-05	7610-1607 7610-1500SP8	
Moto Guzzi	California Vintage	05	7610-1607 7610-1500SP8	to be confirmed
Moto Guzzi	V11 Jackel (1100cc)	99-01	7610-1429 7610-1429SP8 7610-1529SP8	Heavier springs for regular two up or loaded riding.
Moto Guzzi	Falcone / Sahara	Upto 77	7610-1297	
Moto Guzzi	NTX 650	87-90	7610-1422	
	Moto Morini			
Moto Morini	3 1/2	1977	7610-1307	
	MV Augusta			
MV Augusta	750S America	1976	7610-1418	

	MZ			
MZ	ETZ 250	77 on		350mm shock, 204 springs, top = ? bottom = 022 bush + 508 s
MZ	500 Country, Fun, Star, Tour, Voyager, 500NR	93-99		355mm shock
	Norton			
Norton	Atlas (Slimline)	66 on	7610-1307	requires 8mm sleeves for the lower mount which have to be ordered separately
Norton	Commando and Interstate	69-78	76-1373	
Norton	Rotary	88-90	7610-1283*	*plus spring 235-15/21/26
Norton	Commander	88-94	7610-1283*	*plus spring 235-15/21/26
	Piaggio			
Piaggio	Beverly	03-07	7610-1629	
	Sachs			
Sachs	Roadster 650	00-	7610-1602SP1 +sleeves 70 52 11 367 0 to be ordered separately	
Sachs	Roadster 800	00-		
	Sanglas			
Sanglas	400Y	80-83	7610-1393	
Sanglas	500		7610-1393	
	Suzuki			
Suzuki	RE 5 Rotary	75-77	7610-1394	

Suzuki	TS 50	80-83	7610-1525	
Suzuki	TS 80	80-83	7610-1525	
Suzuki	GP 125 / GT 125	74-80	7610-1307	
Suzuki	GZ 125 Marauder	98-04	tbd	
Suzuki	VL 125 Intruder	00-04	tbd	
Suzuki	GT 185	74-80	7610-1307	
Suzuki	GT 200 X5	74-81	7610-1307	
Suzuki	GNX 250 E	82-86	7610-1250SP4	
Suzuki	GN 250	87-97	7610-1277*	*plus spring 235-15/21/26 (normal loads)
Suzuki	GN 250	87-97	7610-1277*	*plus spring 235-18/25/33 (heavier loads)
Suzuki	GSX 250	80-85	7610-1282SP10	
Suzuki	GT 250 incl. X7	74-81	7610-1307	
Suzuki	GZ 250 Marauder	99-04	7610-1511SP8	plus 2 x 70 52 11 427 0 sleeves
Suzuki	T 250	70-73	7610-1307	
Suzuki	TU 250 Volty, Grass Tracker, Big Boy, ST	97-02	tbd	
Suzuki	VL 250 Intruder LC	00-04	tbd	
Suzuki	T 350	70-73	7610-1307	
Suzuki	GT 380	74-79	7610-1307	
Suzuki	AN400 Burgman K3, K4, K5			Mono shock
Suzuki	GN 400 L/TD	80-83	7610-1282SP10	
Suzuki	GS 400 L/T	80-85	7610-1282SP10	
Suzuki	GSX 400 S/L/E/F	77-89	7610-1282SP10	
Suzuki	GSX 400 Inazuma	97-02		
Suzuki	GSX 400 SS Katana	94 on	7610-1641	355mm OEM shock with 10 x 20mm bushes
Suzuki	Tempter	98-02	7610-1348	
Suzuki	GS 425 E	77-80	7610-1282SP10	
Suzuki	GS 450 S/L/T	80-89	7610-1282SP10	

Suzuki	GS 450 E	89-90	7610-1282SP10	
Suzuki	GS 500 E/XE	78-83	7610-1282SP10	
Suzuki	GT 500	74-79	7610-1307	
Suzuki	T 500	70-73	7610-1307	
Suzuki	GS 550	1977	7610-1250SP4	
Suzuki	GS 550 E/XE	78-83	7610-1282SP10	
Suzuki	GS 550 L	80-82	7610-1282SP10	
Suzuki	GS 550 M/EM Katana	81-84	7610-1282SP10	
Suzuki	GT 550	74-79	7610-1307	
Suzuki	VS 600 Intruder, incl. Minnesota	95-98	7610-1511SP8	standard height
Suzuki	VS 600 Intruder, incl. Minnesota	95-98	7610-1532SP8	lowers bike approx. 20mm
Suzuki	Burgman AN 650 Scooter	03-08	7610-1609	
Suzuki	GS 650 E/L	80-82	7610-1282SP10	
Suzuki	GS 650 GT/Katana	81-84	7610-1500	
Suzuki	LS 650 Savage	86-03	7610-1530SP8	
Suzuki	VS 700 Intruder	86-91	7610-1511SP8	standard height
Suzuki	VS 700 Intruder	86-91	7610-1532SP8	lowers bike approx. 20mm
Suzuki	GT 750	72-79	7610-1307	
Suzuki	GS 750 L/E	77-81	7610-1394	
Suzuki	GSX 750 E/S Katana	79-83	7610-1394	
Suzuki	GSX 750	98-00	7610-1407	
Suzuki	VS 750 Intruder	86-92	7610-1511SP8	standard height
Suzuki	VS 750 Intruder	86-92	7610-1532SP8	lowers bike approx. 20mm
Suzuki	VS 800 Intruder, incl. Minnesota	92-04	7610-1511SP8	standard height
Suzuki	VS 800 Intruder, incl. Minnesota	92-04	7610-1532SP8	lowers bike approx. 20mm
Suzuki	VX 800	90-97	7610-1520	normal loads
Suzuki	VX 800	90-97	7610-1600	heavier loads (cases etc.)

Suzuki	VZ 800 Marauder	97-04	7610-1541SP8	
Suzuki	GS 850 L/G	77-88	7610-1418	
Suzuki	GS 1000 /E/H/L/S	78-82	7610-1394	
Suzuki	GS 1000 /G	79-88	7610-1418	
Suzuki	GS 1100 L	81-82	7610-1418	
Suzuki	GS1100 E	80-83	7610-1394	
Suzuki	GS 1100 GK	82-84	7610-1418	
Suzuki	GS 1100 G	86-88	7610-1418	
Suzuki	GSX 1100 / L / S / ES / E	79-84	7610-1394	
Suzuki	GSX 1100 Katana / S Katana	81-85	7610-1394	
Suzuki	GSX 1200 Inazuma	98-02	7610-1348	standard rate spring, standard shock
Suzuki	GSX 1200 Inazuma	98-02	7610-1348SP8	standard rate spring, chrome shock
Suzuki	GSX 1200 Inazuma	98-02	7610-1407	heavy duty spring rate, standard shock
Suzuki	GSX 1400 K1, K2, K3, K4 Katana	01-07	7610-1636 7614-1636	
Suzuki	VS 1400 GLP Intruder, incl. Minnesota	87-03	7610-1429SP8	standard height
Suzuki	VS 1400 GLP Intruder, incl. Minnesota	87-03	7610-1532SP8	lowers bike approx. 40mm
Suzuki	VZ 1600 Marauder	2004	7610-1643SP8	
	SYM			
SYM	Voyager 250		76-1703	345mm long shock, eye top fork bottom (18 x 8mm)
	Triumph			
Triumph	500 Daytona / Trophy / T-100R	69-79	7610-1282SP6	conventional use, for solo use see *
Triumph	650 Thunderbird 6T	69-79	7610-1282SP6	conventional use, for solo use see *
Triumph	650 TR-6C / TR-6R	69-79	7610-1282SP6	conventional use, for solo use see *

Triumph	650 T-110	69-79	7610-1282SP6	conventional use, for solo use see *
Triumph	650 T-120R / T-120 Bonneville	69-79	7610-1282SP6	conventional use, for solo use see *
Triumph	750 Tiger TR7V / T-140V Bonneville	72 on	7610-1250SP5 7610-1250SP4 for solo or lighter use	For models up to 1978 the spring may touch the chain guard. The guard can normally be safely moved to avoid this. From 1979 on the brake torque arm also will need spacing. Parts to do this are not included with the shock absorbers.
Triumph	750 T-150 Trident / V / T-160V	69-79	7610-1282SP6	conventional use, for solo use see *
Triumph	*for solo use only on these Triumph's use:		7610-1282SP10	has lighter spring than the SP6
Triumph	Tiger Trail	82 -83	7610-1283	+ 250-15/21/28
Triumph	Bonneville	00-08	7610-1602 7610-1602SP8 7610-1602SP14 7614-1602 7610-1602SP1	OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
Triumph	Bonneville & Bonneville SE (Alloy wheel models)	09	7610-1647 7610 1647SP8 7610 1647SP14	
Triumph	Bonneville & Bonneville SE (Alloy wheel models)	09	7610-1648 7610 1648SP8 7610 1648SP14	Lighter rate spring option for lighter riders or riding more than 50% of the time solo
Triumph	Bonneville T100 (790cc and 865cc)	02-09	7610-1602 7610-1602SP8 7610-1602SP14 7614-1602 7610-1602SP1	OEM nr T2057980, 7610-1602SP1 has a lighter spring fitted for riders who are of lighter weight and or ride more than 50% of the time solo.
Triumph	Bonneville	00-08	7610-1633 7610-1633SP8	Lowers bike by approximately 25mm

Triumph	Bonneville America (790cc)	02-09	7610-1542 7610-1542SP8 7610-1542SP14	
Triumph	Bonneville USA	85-87		
Triumph	Rocket III (2300cc)	04-09	7610-1611SP8 7610-1611SP14 7610-1611SP16 7610-1612SP8 7610-1612SP14 7610-1612SP16	7610-1612SP8/SP14/SP16 Lowers the bike by approx 35mm.
Triumph	Rocket III (2300cc)	04-09	7610-1635SP8	Heavier duty springing for riders who like a firmer ride or are loading more than 90kg onto the bike more than 50% of the time
Triumph	Speedmaster (865cc)	03-09	7610-1542 7610-1542SP8 7610-1542SP14	
Triumph	Thruxton 900	04-09	7610-1507 7610-1507SP8 7610-1507SP14 7614-1507	OEM nr T2057985
Triumph	Thruxton Scrambler	06-09	7610-1507 7610-1507SP8 7610-1507SP14 7614-1507	OEM nr T2057985
	Universal Shocks (no spring)			

Universal Shocks (no spring)	see end of this application section			
Ural				
	Vincent			
Vincent	HRD 1000 Black Lightning 1000 series C		76-1239	This shock is used on front and rear.
	Yamaha			
Yamaha	125 Vino, YJ125V		7610-1614	Single shock scooter
Yamaha	SR 125	97-03	tbd	
Yamaha	XV 125 Virago	97-00	tbd	
Yamaha	XVS 125 Drag Star, V Star	00-04	7610-1307	conventional spring
Yamaha	XVS 125 Drag Star, V Star	00-04	7610-1506SP8	has heavy duty chromed spring
Yamaha	Majesty 250 Scooter	97-01	76-1703	
Yamaha	RD 250	73-80	7610-1525	
Yamaha	SR 250 SE	77-85	7610-1307	
Yamaha	SRV250	97-99	7610-1250SP2	
Yamaha	XS 250	77-81	7610-1525	
Yamaha	XV 250 Virago / S	89-07	7610-1307	conventional spring
Yamaha	XV 250 Virago / S	89-07	7610-1506SP8	has heavy duty chromed spring
Yamaha	Virago 250 (USA)	2004	7610-1307	conventional spring
Yamaha	Virago 250 (USA)	2004	7610-1506SP8	has heavy duty chromed spring
Yamaha	XVS 250 Drag Star, V Star	00-04	7610-1307	conventional spring
Yamaha	XVS 250 Drag Star, V Star	00-04	7610-1506SP8	has heavy duty chromed spring
Yamaha	RD 350	73-78	7610-1525	

Yamaha	XS 360	77-81	7610-1525	
Yamaha	Majesty YP 400 Scooter	04-06	7610-1608	
Yamaha	RD 400	78-80	7610-1525	
Yamaha	SR 400	78-06	76-1472, 7610-1348 - Japan only, 7610-1525 - Japan only solo use	
Yamaha	XJ 400	80-85	7610-1348	
Yamaha	XJR 400 / R	93-95	7610-1525	
Yamaha	XJR 400 / R	96-04	7610-1348*	standard (black spring) *to be confirmed
Yamaha	XJR 400 / R	96-04	7610-1348SP8*	SP8 (chromed spring & dust cover) *tbc
Yamaha	XS 400 / SE	77-86	7610-1348SP1	
Yamaha	XVS 400 Drag Star, V Star	96-98	tbd	
Yamaha	SR 500	78-04	76-1472	
Yamaha	XS 500	75-77	7610-1525	
Yamaha	XT 500	77-89	76-1462	
Yamaha	XV 535 Virago / S	88-03	7610-1506SP8	standard height, chrome shock
Yamaha	XV 535 Virago / S	88-03	7610-1506	standard height, standard shock
Yamaha	XV 535 Virago / S	88-03	7610-1530SP8	lowers bike approx. 30mm, chrome shock
Yamaha	XJ 550	80-85	7610-1348	
Yamaha	SRX 600	85-89	7610-1307	
Yamaha	XJ 600 Radian	89-91	7610-1511SP8	
Yamaha	XT 600 E / K	90-99		
Yamaha	YX 600 Radian	90-94	7610-1511SP8	
Yamaha	XJ 650 inc Maxim and Turbo	80-86	7610-1407	
Yamaha	TX 650	73-74	7610-1348SP8	

Yamaha	XS 650 / SE	75-86	7610-1348 7610-1348SP8	
Yamaha	XJ 700 Maxim	80-	7610-1542SP8	Old Koni nr 7610-1515.
Yamaha	XV 700 Virago	85-97	7610-1506SP8	standard height, chrome shock
Yamaha	XV 700 Virago	85-97	7610-1506	standard height, standard shock
Yamaha	XV 700 Virago	85-97	7610-1530SP8	lowers bike approx. 30mm, chrome shock
Yamaha	750 DOHC	80-81	7610-1407	
Yamaha	FZX 750	87-94	7610-1407	
Yamaha	XS 750 / SE	77-83	7610-1407	
Yamaha	XJ 750 E/F	84-86	7610-1506	
Yamaha	XJ 750 Seca	81-88	7610-1407	
Yamaha	XV 750 Virago	85-98	7610-1506SP8	standard height, chrome shock
Yamaha	XV 750 Virago	85-98	7610-1506	standard height, standard shock
Yamaha	XV 750 Virago	85-98	7610-1530SP8	lowers bike approx. 30mm, chrome shock
Yamaha	XS 850	78-83	7610-1407	
Yamaha	XJ 900 S/F/N	83-94	7610-1506	
Yamaha	XV 1000 Virago	85-89	7610-1506SP8	standard height, chrome shock
Yamaha	XV 1000 Virago	85-89	7610-1506	standard height, standard shock
Yamaha	XV 1000 Virago	85-89	7610-1530SP8	lowers bike approx. 30mm, chrome shock
Yamaha	XJ1100 Maxim			
Yamaha	XS 1100 / S	78-84	7610-1407	
Yamaha	XV 1100 Virago	87-99	7610-1506SP8	standard height
Yamaha	XV 1100 Virago	87-99	7610-1530SP8	lowers bike approx. 30mm
Yamaha	XJR 1200 / R	94-98	7610-1348	standard rate spring, standard shock
Yamaha	XJR 1200 / R	94-98	7610-1348SP8	standard rate spring, chrome shock
Yamaha	XJR 1200 / R	94-98	7610-1407	heavy duty spring rate, standard shock
Yamaha	V Max 1200, VMX 1200	85-04	7610-1429SP8	standard height

Yamaha	V Max 1200, VMX 1200	85-04	7610-1532SP8	lowers bike approx. 35mm
Yamaha	XJR 1300	98-05	7610-1348	standard rate spring, standard shock
Yamaha	XJR 1300	98-05	7610-1348SP8	standard rate spring, chrome shock
Yamaha	XJR 1300	98-05	7610-1407	heavy duty spring rate, standard shock
	Zundapp			
Zundapp	M50/C50Super/C50Sport/GTS50/GS50/ KS50/K80/KS80	72-84	76-1334	+spring 220-11 or 215-14 These items are special order items
Zundapp	KS-125/KS-175	77-83	76-1334	+spring 220-11 or 215-14 These items are special order items
	Universal Types			
Universal Types	universal 237mm open*		76-1278	
Universal Types	universal 279mm open*		7610-1300	
Universal Types	universal 309mm open*		7610-1277	
Universal Types	universal 319mm open*		7610-1250SP1	
Universal Types	universal 329mm open*		7610-1282	
Universal Types	universal 337mm open*		7610-1283	
Universal Types	universal 390mm open*		76-1700	
Universal Types	universal 420mm open*		76-1701	
	* See technical section following for full details and springs available.			